


**IN THE CLAIMS:**

Below is a complete listing of all claims upon entry of this amendment.

1-4 (Canceled).

5 (Currently amended). A method of modulating the function of a nuclear hormone receptor in a mammal for the treatment of cancer comprising administering to the mammal an effective nuclear hormone receptor modulating amount of a compound of the following formula I or a pharmaceutically acceptable salt thereof:



where the symbols have the following meanings, and are, for each occurrence, independently selected:

G is a cycloalkenyl, aryl or heterocyclo group, where said group is mono- or polycyclic and is optionally substituted at one or more positions;

Y is  $(CR^7R^{7'})_n$  and  $n = 1-3$ ;

A<sub>1</sub> is CR<sup>7</sup>;

A<sub>2</sub> is CR<sup>7</sup>;

R<sup>1</sup> and R<sup>1'</sup> are each independently H, alkyl or substituted alkyl, alkenyl or substituted alkenyl, alkynyl or substituted alkynyl, cycloalkyl or substituted cycloalkyl,

cycloalkenyl or substituted cycloalkenyl, heterocyclo or substituted heterocyclo, cycloalkylalkyl or substituted cycloalkylalkyl, cycloalkenylalkyl or substituted cycloalkenylalkyl, heterocycloalkyl or substituted heterocycloalkyl, aryl or substituted aryl, arylalkyl or substituted arylalkyl, provided, however, that  $R^1$  is not hydrogen when attached to  $-SO_2O-$  or  $-SO_2-$ ;

$R^4$  is H, alkyl or substituted alkyl, alkenyl or substituted alkenyl, alkynyl or substituted alkynyl, cycloalkyl or substituted cycloalkyl, cycloalkenyl or substituted cycloalkenyl, heterocyclo or substituted heterocyclo, cycloalkylalkyl or substituted cycloalkylalkyl, cycloalkenylalkyl or substituted cycloalkenylalkyl, heterocycloalkyl or substituted heterocycloalkyl, aryl or substituted aryl, arylalkyl or substituted arylalkyl,  $-C(=O)R^1$ ,  $-C(=O)OR^1$ ,  $-C(=O)NHR^1$ ,  $-SO_2OR^1$ ,  $-SO_2R^1$  or  $-SO_2NR^1R^{1'}$ ;

$R^5$  is alkyl or substituted alkyl, alkenyl or substituted alkenyl, alkynyl or substituted alkynyl, cycloalkyl or substituted cycloalkyl, cycloalkenyl or substituted cycloalkenyl, heterocyclo or substituted heterocyclo, cycloalkylalkyl or substituted cycloalkylalkyl, cycloalkenylalkyl or substituted cycloalkenylalkyl, heterocycloalkyl or substituted heterocycloalkyl, aryl or substituted aryl, arylalkyl or substituted arylalkyl,  $-C(=O)R^1$ ,  $-C(=O)NHR^1$ ,  $-SO_2OR^1$ ,  $-SO_2R^1$  or  $-SO_2NR^1R^{1'}$ ;

$R^7$  and  $R^{7'}$  are at each occurrence independently selected from H, alkyl or substituted alkyl, alkenyl or substituted alkenyl, alkynyl or substituted alkynyl, cycloalkyl or substituted cycloalkyl, cycloalkenyl or substituted cycloalkenyl, heterocyclo or substituted heterocyclo, cycloalkylalkyl or substituted cycloalkylalkyl, cycloalkenylalkyl or substituted cycloalkenylalkyl, heterocycloalkyl or substituted heterocycloalkyl, aryl or substituted aryl, arylalkyl or substituted arylalkyl, halo, CN,  $OR^4$ , nitro, hydroxylamine, hydroxylamide,  $NHR^4$ ,  $-NR^5R^5$ ,  $-NHOR^1$ , thiol, alkylthio or substituted alkylthio, oxo ( $=O$ ),  $-C(=O)R^1$ ,  $-OC(=O)R^1$ ,  $-C(=O)OR^1$ ,  $-PO_3R^1R^{1'}$ ,  $-C(=O)NR^1R^{1'}$ ,  $-C(=O)SR^1$ ,  $-C(=O)NHSO_2R^1$ ,  $-SOR^1$ ,  $-SO_2R^1$ ,  $-SO_2OR^1$  and  $-SO_2NR^1R^{1'}$ ;

or two  $R^7$  and  $R^{7'}$  groups attached to the same carbon atom may be joined to form a spiro ring, or two  $R^7$  and  $R^{7'}$  groups attached to two different carbon atoms may be joined to form a fused, optionally-substituted monocyclic or bicyclic heterocyclic or carbocyclic ring; and

$R^8$  and  $R^{8'}$  are at each occurrence independently selected from H, alkyl or substituted alkyl, alkenyl or substituted alkenyl, alkynyl or substituted alkynyl, cycloalkyl or substituted cycloalkyl, cycloalkenyl or substituted cycloalkenyl, heterocyclo or substituted heterocyclo, cycloalkylalkyl or substituted cycloalkylalkyl, cycloalkenylalkyl or substituted cycloalkenylalkyl, heterocycloalkyl or substituted heterocycloalkyl, aryl or substituted aryl, arylalkyl or substituted arylalkyl, halo, CN,  $OR^4$ , amino,  $NHR^4$ ,  $-NR^5R^5$ ,  $-NHOR^1$ , alkylthio or substituted alkylthio,  $-C(=O)R^1$ ,  $-C(=O)OR^1$ ,  $-PO_3R^1R^{1'}$ ,  $-C(=O)NR^1R^1$ ,  $-C(=O)SR^1$ ,  $-SOR^1$ ,  $-SO_2R^1$ ,  $-SO_2OR^1$  and  $-SO_2NR^1R^{1'}$ , or  $R^8$  and  $R^{8'}$  may be joined to form a fused, optionally-substituted monocyclic or bicyclic heterocyclic or carbocyclic ring.

6 (Canceled).

7 (Previously presented). The method of claim 5, wherein:

$R^1$  and  $R^{1'}$  are each independently selected from H, alkyl or substituted alkyl, alkenyl or substituted alkenyl, cycloalkyl or substituted cycloalkyl, heterocyclo or substituted heterocyclo, and aryl or substituted aryl;

$R^4$  is H, alkyl or substituted alkyl, alkenyl or substituted alkenyl, cycloalkylalkyl or substituted cycloalkylalkyl, arylalkyl or substituted arylalkyl,  $-C(=O)R^1$ ,  $-C(=O)OR^1$ ,  $-C(=O)NHR^1$ ,  $-SO_2R^1$  or  $-SO_2NR^1R^{1'}$ ;

$R^5$  is alkyl or substituted alkyl,  $-C(=O)R^1$ ,  $-SO_2R^1$ , or  $-SO_2NR^1R^{1'}$ ;

$R^7$  and  $R^{7'}$  are each independently H, alkyl or substituted alkyl, alkenyl or substituted alkenyl, heterocycloalkyl or substituted heterocycloalkyl, halo, cyano,  $OR^4$ ,  $-NHR^4$ ,  $-NR^5R^5$ ,  $-C(=O)R^1$ ,  $-OC(=O)R^1$ ,  $-C(=O)OR^1$ ,  $-C(=O)NR^1R^{1'}$ ,  $-SO_2R^1$ , or  $-SO_2NR^1R^{1'}$ ; or

two  $R^7$  and  $R^{7'}$  groups attached to the same carbon atom may be joined to form a spiro ring, or two  $R^7$  and  $R^{7'}$  groups attached to two different carbon atoms may be joined to form a fused, optionally-substituted monocyclic heterocyclic or carbocyclic ring.

8 (Canceled).

9 (Previously presented). The method of claim 5 wherein,

G is a monocyclic or bicyclic aryl or heterocyclo and is optionally substituted at one or more positions;

A<sub>1</sub> is CH, C(alkyl), or C(substituted alkyl);

A<sub>2</sub> is CH, C(alkyl), or C(substituted alkyl);

R<sup>1</sup> and R<sup>1'</sup> are each independently selected from H, alkyl or substituted alkyl, alkenyl or substituted alkenyl, cycloalkyl or substituted cycloalkyl, heterocyclo or substituted heterocyclo, and aryl or substituted aryl;

R<sup>4</sup> is H, alkyl or substituted alkyl, alkenyl or substituted alkenyl, cycloalkylalkyl or substituted cycloalkylalkyl, arylalkyl or substituted arylalkyl, -C(=O)R<sup>1</sup>, -C(=O)OR<sup>1</sup>, -C(=O)NHR<sup>1</sup>, -SO<sub>2</sub>R<sup>1</sup> or -SO<sub>2</sub>NR<sup>1</sup>R<sup>1'</sup>;

R<sup>5</sup> is alkyl or substituted alkyl, -C(=O)R<sup>1</sup>, -SO<sub>2</sub>R<sup>1</sup>, or -SO<sub>2</sub>NR<sup>1</sup>R<sup>1'</sup>; and

R<sup>7</sup> and R<sup>7'</sup> are each independently H, alkyl or substituted alkyl, alkenyl or substituted alkenyl, heterocycloalkyl or substituted heterocycloalkyl, halo, cyano, OR<sup>4</sup>, -NHR<sup>4</sup>, -NR<sup>5</sup>R<sup>5</sup>, -C(=O)R<sup>1</sup>, -OC(=O)R<sup>1</sup>, -C(=O)OR<sup>1</sup>, -C(=O)NR<sup>1</sup>R<sup>1'</sup>, -SO<sub>2</sub>R<sup>1</sup>, or -SO<sub>2</sub>NR<sup>1</sup>R<sup>1'</sup>; or

two R<sup>7</sup> and R<sup>7'</sup> groups are joined to a spiro cyclopropyl, or said R<sup>7</sup> and R<sup>7'</sup> groups may be joined to form a fused, optionally-substituted monocyclic heterocyclic or carbocyclic ring; and

R<sup>8</sup> and R<sup>8'</sup> are each independently H, alkyl or substituted alkyl, alkenyl or substituted alkenyl, heterocycloalkyl or substituted heterocycloalkyl, halo, cyano, OR<sup>4</sup>, -NHR<sup>4</sup>, -NR<sup>5</sup>R<sup>5</sup>, -C(=O)R<sup>1</sup>, -OC(=O)R<sup>1</sup>, -C(=O)OR<sup>1</sup>, -C(=O)NR<sup>1</sup>R<sup>1'</sup>, -SO<sub>2</sub>R<sup>1</sup>, or -SO<sub>2</sub>NR<sup>1</sup>R<sup>1'</sup>.

10. (Canceled).

11 (Currently amended). The method of claim 5 ~~40~~, wherein said ~~disorder~~ cancer is prostate cancer.

12 (Canceled).

13 (Currently amended). The method of claim ~~10~~11 wherein,

G is a monocyclic or bicyclic aryl or heterocyclo and is optionally substituted at one or more positions;

A<sub>1</sub> is CH, C(alkyl), or C(substituted alkyl);

A<sub>2</sub> is CH, C(alkyl), or C(substituted alkyl);

R<sup>1</sup> and R<sup>1'</sup> are each independently selected from H, alkyl or substituted alkyl, alkenyl or substituted alkenyl, cycloalkyl or substituted cycloalkyl, heterocyclo or substituted heterocyclo, and aryl or substituted aryl;

R<sup>4</sup> is H, alkyl or substituted alkyl, alkenyl or substituted alkenyl, cycloalkylalkyl or substituted cycloalkylalkyl, arylalkyl or substituted arylalkyl, -C(=O) R<sup>1</sup>, -C(=O)OR<sup>1</sup>, -C(=O)NHR<sup>1</sup>, -SO<sub>2</sub>R<sup>1</sup> or -SO<sub>2</sub>NR<sup>1</sup>R<sup>1'</sup>;

R<sup>5</sup> is alkyl or substituted alkyl, -C(=O) R<sup>1</sup>, -SO<sub>2</sub>R<sup>1</sup>, or -SO<sub>2</sub>NR<sup>1</sup>R<sup>1'</sup>;

R<sup>7</sup> and R<sup>7'</sup> are each independently H, alkyl or substituted alkyl, alkenyl or substituted alkenyl, heterocycloalkyl or substituted heterocycloalkyl, halo, cyano, OR<sup>4</sup>, -NHR<sup>4</sup>, -NR<sup>5</sup>R<sup>5</sup>, -C(=O)R<sup>1</sup>, -OC(=O)R<sup>1</sup>, -C(=O)OR<sup>1</sup>, -C(=O)NR<sup>1</sup>R<sup>1'</sup>, -SO<sub>2</sub>R<sup>1</sup>, or -SO<sub>2</sub>NR<sup>1</sup>R<sup>1'</sup>; or

two R<sup>7</sup> and R<sup>7'</sup> groups are joined to a spiro cyclopropyl, or said R<sup>7</sup> and R<sup>7'</sup> groups may be joined to form a fused, optionally-substituted monocyclic heterocyclic or carbocyclic ring; and

R<sup>8</sup> and R<sup>8'</sup> are each independently H, alkyl or substituted alkyl, alkenyl or substituted alkenyl, heterocycloalkyl or substituted heterocycloalkyl, halo, cyano, OR<sup>4</sup>, -NHR<sup>4</sup>, -NR<sup>5</sup>R<sup>5</sup>, -C(=O)R<sup>1</sup>, -OC(=O)R<sup>1</sup>, -C(=O)OR<sup>1</sup>, -C(=O)NR<sup>1</sup>R<sup>1'</sup>, -SO<sub>2</sub>R<sup>1</sup>, or -SO<sub>2</sub>NR<sup>1</sup>R<sup>1'</sup>.

14 (New). The method of claim 13 wherein G is phenyl or naphthyl optionally substituted at one to three positions.

15 (New). The method of claim 5 wherein,

G is phenyl or naphthyl optionally substituted at one to three positions;

A<sub>1</sub> is CH, C(alkyl), or C(substituted alkyl);

A<sub>2</sub> is CH, C(alkyl), or C(substituted alkyl);

R<sup>1</sup> and R<sup>1'</sup> are each independently selected from H, alkyl or substituted alkyl, alkenyl or substituted alkenyl, cycloalkyl or substituted cycloalkyl, heterocyclo or substituted heterocyclo, and aryl or substituted aryl;

R<sup>4</sup> is H, alkyl or substituted alkyl, alkenyl or substituted alkenyl, cycloalkylalkyl or substituted cycloalkylalkyl, arylalkyl or substituted arylalkyl, -C(=O)R<sup>1</sup>, -C(=O)OR<sup>1</sup>, -C(=O)NHR<sup>1</sup>, -SO<sub>2</sub>R<sup>1</sup> or -SO<sub>2</sub>NR<sup>1</sup>R<sup>1'</sup>;

R<sup>5</sup> is alkyl or substituted alkyl, -C(=O)R<sup>1</sup>, -SO<sub>2</sub>R<sup>1</sup>, or -SO<sub>2</sub>NR<sup>1</sup>R<sup>1'</sup>;

R<sup>7</sup> and R<sup>7'</sup> are each independently H, alkyl or substituted alkyl, alkenyl or substituted alkenyl, heterocycloalkyl or substituted heterocycloalkyl, halo, cyano, OR<sup>4</sup>, -NHR<sup>4</sup>, -NR<sup>5</sup>R<sup>5</sup>, -C(=O)R<sup>1</sup>, -OC(=O)R<sup>1</sup>, -C(=O)OR<sup>1</sup>, -C(=O)NR<sup>1</sup>R<sup>1'</sup>, -SO<sub>2</sub>R<sup>1</sup>, or -SO<sub>2</sub>NR<sup>1</sup>R<sup>1'</sup>; or  
two R<sup>7</sup> and R<sup>7'</sup> groups are joined to a spiro cyclopropyl, or said R<sup>7</sup> and R<sup>7'</sup> groups may be joined to form a fused, optionally-substituted monocyclic heterocyclic or carbocyclic ring; and

R<sup>8</sup> and R<sup>8'</sup> are each independently H, alkyl or substituted alkyl, alkenyl or substituted alkenyl, heterocycloalkyl or substituted heterocycloalkyl, halo, cyano, OR<sup>4</sup>, -NHR<sup>4</sup>, -NR<sup>5</sup>R<sup>5</sup>, -C(=O)R<sup>1</sup>, -OC(=O)R<sup>1</sup>, -C(=O)OR<sup>1</sup>, -C(=O)NR<sup>1</sup>R<sup>1'</sup>, -SO<sub>2</sub>R<sup>1</sup>, or -SO<sub>2</sub>NR<sup>1</sup>R<sup>1'</sup>.

16 (New). A method of modulating the function of a nuclear hormone receptor in a mammal for the treatment of cancer comprising administering to the mammal an effective nuclear hormone receptor modulating amount of a compound selected from  
(3 $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7 $\alpha$ )-2-(3-Chloro-4-hydroxyphenyl)hexahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3 $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7 $\alpha$ )-Hexahydro-2-[4-(1H-tetrazol-5-yl)phenyl]-4,7-methano-1H-isoindole-1,3(2H)-dione, trifluoroacetate (1:1), (3 $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7 $\alpha$ )-Hexahydro-2-[3-methoxy-4-(1H-1,2,4-triazol-1-yl)phenyl]-4,7-methano-1H-isoindole-1,3(2H)-dione, (3 $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7 $\alpha$ )-2-(2,3-Dihydro-2-oxo-6-benzothiazolyl)-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3 $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7 $\alpha$ )-2-(2,3-Dihydro-3-methyl-2-oxo-6-benzothiazolyl)-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3 $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7 $\alpha$ )-2-(2,3-Dihydro-1-methyl-2-oxo-1H-indol-5-yl)-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3 $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7 $\alpha$ )-2-(2-Fluorenyl)-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3 $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7 $\alpha$ )-2-(1H-Benzotriazol-5-yl)-3a,4,7,7a-

tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7a $\alpha$ )-2-[3-Chloro-4-(4-morpholinyl)phenyl]-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7a $\alpha$ )-2-(2,3-Dihydro-1H-inden-5-yl)-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7a $\alpha$ )-2-(4-Bromo-1-naphthalenyl)-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7a $\alpha$ )-2-(4-Chloro-1-naphthalenyl)-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7a $\alpha$ )-3a,4,7,7a-Tetrahydro-2-(7-hydroxy-1-naphthalenyl)-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7a $\alpha$ )-3a,4,7,7a-Tetrahydro-2-(4-nitro-1-naphthalenyl)-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7a $\alpha$ )-3a,4,7,7a-Tetrahydro-2-(1H-indol-5-yl)-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7a $\alpha$ )-3a,4,7,7a-Tetrahydro-2-(1H-indazol-6-yl)-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7a $\alpha$ )-2-(1,3-Benzodioxol-5-yl)-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7a $\alpha$ )-2-[4-Amino-3-(trifluoromethyl)phenyl]-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7a $\alpha$ )-3a,4,7,7a-Tetrahydro-2-(2-methyl-4-quinolinyl)-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7a $\alpha$ )-3a,4,7,7a-Tetrahydro-2-(8-quinolinyl)-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7a $\alpha$ )-2-(2,3-Dihydro-1,4-benzodioxin-6-yl)-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7a $\alpha$ )-3a,4,7,7a-Tetrahydro-2-(4-methyl-2-oxo-2H-1-benzopyran-7-yl)-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7a $\alpha$ )-3a,4,7,7a-Tetrahydro-2-(5-isoquinolinyl)-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7a $\alpha$ )-2-(2,5-Dimethoxy-4-nitrophenyl)-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7a $\alpha$ )-2,3,5,6-Tetrafluoro-4-(1,3,3a,4,7,7a-hexahydro-1,3-dioxo-4,7-methano-2H-isoindol-2-yl)benzonitrile, (3a $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7a $\alpha$ )-3a,4,7,7a-Tetrahydro-2-(2,4,5-trifluorophenyl)-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7a $\alpha$ )-3a,4,7,7a-Tetrahydro-2-(2,4,5-trichlorophenyl)-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7a $\alpha$ )-2-(3,4-Difluorophenyl)-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7a $\alpha$ )-2-(2,3-Dihydro-1H-indol-6-yl)-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7a $\alpha$ )-2-(3-Chloro-4-fluorophenyl)-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7a $\alpha$ )-2-(3,4-Dichlorophenyl)-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7a $\alpha$ )-3a,4,7,7a-Tetrahydro-2-(3,4,5-trichlorophenyl)-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7a $\alpha$ )-2-(3-Chloro-4-methoxyphenyl)-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7a $\alpha$ )-2-(3-Chloro-4-methylphenyl)-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7a $\alpha$ )-3a,4,7,7a-Tetrahydro-2-(2-methyl-1-naphthalenyl)-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7a $\alpha$ )-2-(4-Chloro-3-

methylphenyl)-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7a $\alpha$ )-2-(3,4-Dimethylphenyl)-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7a $\alpha$ )-2-[4-Bromo-3-(trifluoromethyl)phenyl]-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7a $\alpha$ )-2-(4-Bromo-3-methylphenyl)-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7a $\alpha$ )-2-(4-Fluoro-3-nitrophenyl)-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7a $\alpha$ )-2-[4-Fluoro-3-(trifluoromethyl)phenyl]-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7a $\alpha$ )-2-(4-Chloro-3-nitrophenyl)-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7a $\alpha$ )-2-[4-Chloro-3-(trifluoromethyl)phenyl]-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7a $\alpha$ )-2-(4-Chloro-2-methoxy-5-methylphenyl)-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7a $\alpha$ )-2-(3,5-Dichloro-4-hydroxyphenyl)-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7a $\alpha$ )-3a,4,7,7a-Tetrahydro-2-(4-hydroxy-3-nitrophenyl)-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7a $\alpha$ )-2-(4-Amino-3-nitrophenyl)-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7a $\alpha$ )-2,2'-(2,3,5,6-Tetramethyl-1,4-phenylene)bis[3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione], (3a $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7a $\alpha$ )-3a,4,7,7a-Tetrahydro-2-(4-methyl-3-nitrophenyl)-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7a $\alpha$ )-3a,4,7,7a-Tetrahydro-2-(3,4,5-trimethoxyphenyl)-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7a $\alpha$ )-2-(3,4-Dimethoxyphenyl)-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7a $\alpha$ )-3a,4,7,7a-Tetrahydro-2-(3-hydroxy-4-methoxyphenyl)-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7a $\alpha$ )-2-(5-Chloro-2-hydroxy-4-nitrophenyl)-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7a $\alpha$ )-3a,4,7,7a-Tetrahydro-2-(2-methoxy-3-dibenzofuranyl)-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7a $\alpha$ )-3a,4,7,7a-Tetrahydro-2-(2,3,4-trifluorophenyl)-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7a $\alpha$ )-2-(2,3-Dihydro-2-methyl-1,3-dioxo-1H-isoindol-5-yl)-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7a $\alpha$ )-2-(4-Bromo-2,3,5,6-tetrafluorophenyl)-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7a $\alpha$ )-2-[2,5-Dichloro-4-(1H-pyrrol-1-yl)phenyl]-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7a $\alpha$ )-2-[3-[(Diethylamino)methyl]-4-hydroxyphenyl]-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7a $\alpha$ )-2-(6-Benzothiazolyl)-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7a $\alpha$ )-4-(1,3,3a,4,7,7a-Hexahydro-1,3-dioxo-4,7-methano-2H-isoindol-2-yl)-2-methoxybenzenecarboxylic acid, methyl ester, (3a $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7a $\alpha$ )-3a,4,7,7a-Tetrahydro-2-(2-oxo-2H-



1-benzopyran-6-yl)-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7a $\alpha$ )-3a,4,7,7a-Tetrahydro-2-(2-methyl-8-quinoliny)-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7a $\alpha$ )-3a,4,7,7a-Tetrahydro-2-(2,3,5,6-tetramethyl-4-nitrophenyl)-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7a $\alpha$ )-3a,4,7,7a-Tetrahydro-2-(2,4,5-trimethylphenyl)-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7a $\alpha$ )-2-(4-Fluoro-3-methylphenyl)-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7a $\alpha$ )-3a,4,7,7a-Tetrahydro-2-(3-methoxy-4-methylphenyl)-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7a $\alpha$ )-2-(3-Dibenzofuranyl)-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7a $\alpha$ )-3a,4,7,7a-Tetrahydro-2-(2'-hydroxy[1,1':3',1''-terphenyl]-5'-yl)-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7a $\alpha$ )-2-(1,3-Dihydro-2,2-dioxidobenzo[c]thiophen-5-yl)-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7a $\alpha$ )-3a,4,7,7a-Tetrahydro-2-(2,2,3,3-tetrafluoro-2,3-dihydro-1,4-benzodioxin-6-yl)-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7a $\alpha$ )-2-(4-Amino-2,3,5,6-tetrafluorophenyl)-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7a $\alpha$ )-N-[2-Chloro-6-fluoro-4-(1,3,3a,4,7,7a-hexahydro-1,3-dioxo-4,7-methano-2H-isoindol-2-yl)phenyl]acetamide, (3a $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7a $\alpha$ )-3a,4,7,7a-Tetrahydro-2-[3-(trifluoromethyl)phenyl]-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7a $\alpha$ )-2-[2-Ethoxy-8-methyl-4-(trifluoromethyl)-7-quinoliny]-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7a $\alpha$ )-2-[1,2-Dihydro-8-methyl-2-oxo-4-(trifluoromethyl)-7-quinoliny]-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7a $\alpha$ )-2-(9-Ethyl-9H-carbazol-2-yl)-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7a $\alpha$ )-3a,4,7,7a-Tetrahydro-2-[4-(1-piperidinyl)phenyl]-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7a $\alpha$ )-3a,4,7,7a-Tetrahydro-2-[4-(4-morpholiny)phenyl]-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7a $\alpha$ )-3a,4,7,7a-Tetrahydro-2-(7-quinoliny)-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7a $\alpha$ )-2-(3-Chlorophenyl)-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7a $\alpha$ )-3a,4,7,7a-Tetrahydro-2-(2-naphthalenyl)-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7a $\alpha$ )-3a,4,7,7a-Tetrahydro-2-(1,2,3,4-tetrahydro-2-oxo-7-quinoliny)-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7a $\alpha$ )-3a,4,7,7a-Tetrahydro-2-[4-(4-methyl-1-piperazinyl)phenyl]-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7a $\alpha$ )-2-[4-(Diethylamino)-1-naphthalenyl]-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7a $\alpha$ )-3a,4,7,7a-Tetrahydro-2-(8-hydroxy-5-quinoliny)-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7a $\alpha$ )-3a,4,7,7a-Tetrahydro-2-(4-nitrophenyl)-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7a $\alpha$ )-3a,4,7,7a-Tetrahydro-2-[2-(4-morpholiny)-5-(trifluoromethyl)phenyl]-4,7-methano-

1H-isoindole-1,3(2H)-dione, (3 $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7 $\alpha$ )-2-(3,5-Dichlorophenyl)-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3 $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7 $\alpha$ )-2-(3-Chloro-4-fluorophenyl)-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3 $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7 $\alpha$ )-2-(4-Fluorophenyl)-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3 $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7 $\alpha$ )-3a,4,7,7a-Tetrahydro-2-[4-(1,2,3-thiadiazol-4-yl)phenyl]-4,7-methano-1H-isoindole-1,3(2H)-dione, (3 $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7 $\alpha$ )-N-[5-(1,3,3a,4,7,7a-Hexahydro-1,3-dioxo-4,7-methano-2H-isoindol-2-yl)-3-(trifluoromethyl)phenyl]acetamide, (3 $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7 $\alpha$ )-2-[3-Amino-5-(trifluoromethyl)phenyl]-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3 $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7 $\alpha$ )-2-[1,2-Dihydro-2-oxo-4-(trifluoromethyl)-7-quinolinyl]-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3 $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7 $\alpha$ )-2-[5-Ethoxy-2-(methoxymethyl)-4-(4-morpholinyl)phenyl]-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3 $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7 $\alpha$ )-2-[(1R)-1-(1-naphthalenyl)ethyl]-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3 $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7 $\alpha$ )-2-[(1S)-1-(1-naphthalenyl)ethyl]-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3 $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7 $\alpha$ )-3a,4,7,7a-Tetrahydro-2-[7-(trifluoromethyl)-4-quinolinyl]-4,7-methano-1H-isoindole-1,3(2H)-dione, (3 $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7 $\alpha$ )-3a,4,7,7a-Tetrahydro-2-[8-(trifluoromethyl)-4-quinolinyl]-4,7-methano-1H-isoindole-1,3(2H)-dione, (3 $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7 $\alpha$ )-2-(3,4-Dimethyl-5-isoxazolyl)-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3 $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7 $\alpha$ )-3a,4,7,7a-tetrahydro-2-(1-naphthalenyl)-4,7-methano-1H-isoindole-1,3(2H)-dione, (3 $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7 $\alpha$ )-3a,4,7,7a-Tetrahydro-2-(5-nitro-8-isoquinolinyl)-4,7-methano-1H-isoindole-1,3(2H)-dione, trifluoroacetate (1:1), (3 $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7 $\alpha$ )-2-(4-Amino-1-naphthalenyl)-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3 $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7 $\alpha$ )-3a,4,7,7a-Tetrahydro-2-(4-hydroxy-1-naphthalenyl)-4,7-methano-1H-isoindole-1,3(2H)-dione, (3 $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7 $\alpha$ )-3a,4,7,7a-Tetrahydro-2-(3-methylphenyl)-4,7-methano-1H-isoindole-1,3(2H)-dione, (3 $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7 $\alpha$ )-2-(4-Bromophenyl)-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3 $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7 $\alpha$ )-2-(5-Bromo-8-isoquinolinyl)-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3 $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7 $\alpha$ )-2-(7,8-Dichloro-5-quinolinyl)-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3 $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7 $\alpha$ )-3a,4,7,7a-Tetrahydro-2-(3-methyl-4-nitrophenyl)-4,7-methano-1H-isoindole-1,3(2H)-dione, (3 $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7 $\alpha$ )-N-[4-(1,3,3a,4,7,7a-Hexahydro-1,3-dioxo-4,7-methano-2H-isoindol-2-yl)-1-naphthalenyl]-N'-methylurea, (3 $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7 $\alpha$ )-2-(6-Bromo-1,2-benzisoxazol-3-yl)-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3 $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7 $\alpha$ )-2-(5-Bromo-1,2-benzisoxazol-3-yl)-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3 $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7 $\alpha$ )-2-(4-Fluoro-1H-indazol-3-yl)-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3 $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7 $\alpha$ )-2-(6-Chloro-1H-

indazol-3-yl)-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7a $\alpha$ )-3a,4,7,7a-Tetrahydro-2-(5-nitro-1,2-benzisoxazol-3-yl)-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7a $\alpha$ )-2-(3-Benzofuranyl)-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7a $\alpha$ )-2-(4-Chlorophenyl)-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7a $\alpha$ )-2-(2-Fluorenyl)-3a,4,7,7a-tetrahydro-4,7-ethano-1H-isoindole-1,3(2H)-dione, (3a $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7a $\alpha$ )-2-(1H-Benzotriazol-5-yl)-3a,4,7,7a-tetrahydro-4,7-ethano-1H-isoindole-1,3(2H)-dione, (3a $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7a $\alpha$ )-2-[3-Chloro-4-(4-morpholinyl)phenyl]-3a,4,7,7a-tetrahydro-4,7-ethano-1H-isoindole-1,3(2H)-dione, (3a $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7a $\alpha$ )-2-(2,3-Dihydro-1H-inden-5-yl)-3a,4,7,7a-tetrahydro-4,7-ethano-1H-isoindole-1,3(2H)-dione, (3a $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7a $\alpha$ )-2-(4-Bromo-1-naphthalenyl)-3a,4,7,7a-tetrahydro-4,7-ethano-1H-isoindole-1,3(2H)-dione, (3a $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7a $\alpha$ )-2-(4-Chloro-1-naphthalenyl)-3a,4,7,7a-tetrahydro-4,7-ethano-1H-isoindole-1,3(2H)-dione, (3a $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7a $\alpha$ )-2-(5-Amino-1-naphthalenyl)-3a,4,7,7a-tetrahydro-4,7-ethano-1H-isoindole-1,3(2H)-dione, (3a $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7a $\alpha$ )-3a,4,7,7a-Tetrahydro-2-(7-hydroxy-1-naphthalenyl)-4,7-ethano-1H-isoindole-1,3(2H)-dione, (3a $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7a $\alpha$ )-3a,4,7,7a-Tetrahydro-2-(4-nitro-1-naphthalenyl)-4,7-ethano-1H-isoindole-1,3(2H)-dione, (3a $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7a $\alpha$ )-3a,4,7,7a-Tetrahydro-2-(1H-indol-5-yl)-4,7-ethano-1H-isoindole-1,3(2H)-dione, (3a $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7a $\alpha$ )-3a,4,7,7a-Tetrahydro-2-(1H-indazol-6-yl)-4,7-ethano-1H-isoindole-1,3(2H)-dione, (3a $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7a $\alpha$ )-2-(1,3-Benzodioxol-5-yl)-3a,4,7,7a-tetrahydro-4,7-ethano-1H-isoindole-1,3(2H)-dione, (3a $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7a $\alpha$ )-2-[4-Amino-3-(trifluoromethyl)phenyl]-3a,4,7,7a-tetrahydro-4,7-ethano-1H-isoindole-1,3(2H)-dione, (3a $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7a $\alpha$ )-2-(3-Chloro-4-iodophenyl)-3a,4,7,7a-tetrahydro-4,7-ethano-1H-isoindole-1,3(2H)-dione, (3a $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7a $\alpha$ )-3a,4,7,7a-Tetrahydro-2-(8-quinoliny)-4,7-ethano-1H-isoindole-1,3(2H)-dione, (3a $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7a $\alpha$ )-2-(1,4-Benzodioxin-6-yl)-3a,4,7,7a-tetrahydro-4,7-ethano-1H-isoindole-1,3(2H)-dione, (3a $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7a $\alpha$ )-3a,4,7,7a-Tetrahydro-2-[2-oxo-4-(trifluoromethyl)-2H-1-benzopyran-7-yl]-4,7-ethano-1H-isoindole-1,3(2H)-dione, (3a $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7a $\alpha$ )-3a,4,7,7a-Tetrahydro-2-(4-methyl-2-oxo-2H-1-benzopyran-7-yl)-4,7-ethano-1H-isoindole-1,3(2H)-dione, (3a $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7a $\alpha$ )-3a,4,7,7a-Tetrahydro-2-(5-isoquinoliny)-4,7-ethano-1H-isoindole-1,3(2H)-dione, (3a $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7a $\alpha$ )-2-(2,5-Dimethoxy-4-nitrophenyl)-3a,4,7,7a-tetrahydro-4,7-ethano-1H-isoindole-1,3(2H)-dione, (3a $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7a $\alpha$ )-3a,4,7,7a-Tetrahydro-2-(2,4,5-trifluorophenyl)-4,7-ethano-1H-isoindole-1,3(2H)-dione, (3a $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7a $\alpha$ )-3a,4,7,7a-Tetrahydro-2-(2,4,5-trichlorophenyl)-4,7-ethano-1H-isoindole-1,3(2H)-dione, (3a $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7a $\alpha$ )-2-(2-Amino-4,5-dichlorophenyl)-3a,4,7,7a-tetrahydro-4,7-ethano-1H-isoindole-1,3(2H)-dione, (3a $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7a $\alpha$ )-2-(3,4-Difluorophenyl)-3a,4,7,7a-tetrahydro-4,7-ethano-1H-isoindole-1,3(2H)-dione, (3a $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7a $\alpha$ )-2-(3-Chloro-4-fluorophenyl)-3a,4,7,7a-tetrahydro-4,7-ethano-1H-isoindole-1,3(2H)-dione,

(3a $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7a $\alpha$ )-2-(3,4-Dichlorophenyl)-3a,4,7,7a-tetrahydro-4,7-ethano-1H-isoindole-1,3(2H)-dione, (3a $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7a $\alpha$ )-3a,4,7,7a-Tetrahydro-2-(3,4,5-trichlorophenyl)-4,7-ethano-1H-isoindole-1,3(2H)-dione, (3a $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7a $\alpha$ )-2-(3-Chloro-4-methoxyphenyl)-3a,4,7,7a-tetrahydro-4,7-ethano-1H-isoindole-1,3(2H)-dione, (3a $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7a $\alpha$ )-2-(3-Chloro-4-methylphenyl)-3a,4,7,7a-tetrahydro-4,7-ethano-1H-isoindole-1,3(2H)-dione, (3a $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7a $\alpha$ )-3a,4,7,7a-Tetrahydro-2-(2-methyl-1-naphthalenyl)-4,7-ethano-1H-isoindole-1,3(2H)-dione, (3a $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7a $\alpha$ )-2-(4-Chloro-3-methylphenyl)-3a,4,7,7a-tetrahydro-4,7-ethano-1H-isoindole-1,3(2H)-dione, (3a $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7a $\alpha$ )-2-(3,4-Dimethylphenyl)-3a,4,7,7a-tetrahydro-4,7-ethano-1H-isoindole-1,3(2H)-dione, (3a $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7a $\alpha$ )-2-[4-Bromo-3-(trifluoromethyl)phenyl]-3a,4,7,7a-tetrahydro-4,7-ethano-1H-isoindole-1,3(2H)-dione, (3a $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7a $\alpha$ )-2-(4-Bromo-3-methylphenyl)-3a,4,7,7a-tetrahydro-4,7-ethano-1H-isoindole-1,3(2H)-dione, (3a $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7a $\alpha$ )-2-(4-Fluoro-3-nitrophenyl)-3a,4,7,7a-tetrahydro-4,7-ethano-1H-isoindole-1,3(2H)-dione, (3a $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7a $\alpha$ )-2-[4-Fluoro-3-(trifluoromethyl)phenyl]-3a,4,7,7a-tetrahydro-4,7-ethano-1H-isoindole-1,3(2H)-dione, (3a $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7a $\alpha$ )-2-(4-Chloro-3-nitrophenyl)-3a,4,7,7a-tetrahydro-4,7-ethano-1H-isoindole-1,3(2H)-dione, (3a $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7a $\alpha$ )-2-[4-Chloro-3-(trifluoromethyl)phenyl]-3a,4,7,7a-tetrahydro-4,7-ethano-1H-isoindole-1,3(2H)-dione, (3a $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7a $\alpha$ )-2-(4-Chloro-2-methoxy-5-methylphenyl)-3a,4,7,7a-tetrahydro-4,7-ethano-1H-isoindole-1,3(2H)-dione, (3a $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7a $\alpha$ )-2-(3,5-Dichloro-4-hydroxyphenyl)-3a,4,7,7a-tetrahydro-4,7-ethano-1H-isoindole-1,3(2H)-dione, (3a $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7a $\alpha$ )-3a,4,7,7a-Tetrahydro-2-(4-hydroxy-3-nitrophenyl)-4,7-ethano-1H-isoindole-1,3(2H)-dione, (3a $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7a $\alpha$ )-2-(4-Amino-3-nitrophenyl)-3a,4,7,7a-tetrahydro-4,7-ethano-1H-isoindole-1,3(2H)-dione, (3a $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7a $\alpha$ )-2-(4-Amino-2,3,5,6-tetramethylphenyl)-3a,4,7,7a-tetrahydro-4,7-ethano-1H-isoindole-1,3(2H)-dione, (3a $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7a $\alpha$ )-3a,4,7,7a-Tetrahydro-2-(4-methyl-3-nitrophenyl)-4,7-ethano-1H-isoindole-1,3(2H)-dione, (3a $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7a $\alpha$ )-3a,4,7,7a-Tetrahydro-2-(3,4,5-trimethoxyphenyl)-4,7-ethano-1H-isoindole-1,3(2H)-dione, (3a $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7a $\alpha$ )-2-(3,4-Dimethoxyphenyl)-3a,4,7,7a-tetrahydro-4,7-ethano-1H-isoindole-1,3(2H)-dione, (3a $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7a $\alpha$ )-3a,4,7,7a-Tetrahydro-2-(3-hydroxy-4-methoxyphenyl)-4,7-ethano-1H-isoindole-1,3(2H)-dione, (3a $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7a $\alpha$ )-3a,4,7,7a-Tetrahydro-2-(4-methyl-5-nitro-2-pyridinyl)-4,7-ethano-1H-isoindole-1,3(2H)-dione, (3a $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7a $\alpha$ )-3a,4,7,7a-Tetrahydro-2-(2-methoxy-3-dibenzofuranyl)-4,7-ethano-1H-isoindole-1,3(2H)-dione, (3a $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7a $\alpha$ )-3a,4,7,7a-Tetrahydro-2-(2,3,4-trifluorophenyl)-4,7-ethano-1H-isoindole-1,3(2H)-dione, (3a $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7a $\alpha$ )-2-(2,3-Dihydro-2-methyl-1,3-dioxo-1H-isoindol-5-yl)-3a,4,7,7a-tetrahydro-4,7-ethano-1H-isoindole-1,3(2H)-dione, (3a $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7a $\alpha$ )-2-[2,5-Dichloro-4-(1H-pyrrol-1-yl)phenyl]-3a,4,7,7a-tetrahydro-4,7-ethano-1H-isoindole-1,3(2H)-dione,

(3a $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7a $\alpha$ )-2-[3-[(Diethylamino)methyl]-4-hydroxyphenyl]-3a,4,7,7a-tetrahydro-4,7-ethano-1H-isoindole-1,3(2H)-dione, (3a $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7a $\alpha$ )-3a,4,7,7a-Tetrahydro-2-[4-(methoxymethyl)-2-oxo-2H-1-benzopyran-7-yl]-4,7-ethano-1H-isoindole-1,3(2H)-dione, (3a $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7a $\alpha$ )-2-(6-Benzothiazolyl)-3a,4,7,7a-tetrahydro-4,7-ethano-1H-isoindole-1,3(2H)-dione, (3a $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7a $\alpha$ )-3a,4,7,7a-Tetrahydro-2-(2-oxo-2H-1-benzopyran-6-yl)-4,7-ethano-1H-isoindole-1,3(2H)-dione, (3a $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7a $\alpha$ )-3a,4,7,7a-Tetrahydro-2-(2-methyl-8-quinoliny)-4,7-ethano-1H-isoindole-1,3(2H)-dione, (3a $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7a $\alpha$ )-3a,4,7,7a-Tetrahydro-2-(2,3,5,6-tetramethyl-4-nitrophenyl)-4,7-ethano-1H-isoindole-1,3(2H)-dione, (3a $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7a $\alpha$ )-3a,4,7,7a-Tetrahydro-2-(2,4,5-trimethylphenyl)-4,7-ethano-1H-isoindole-1,3(2H)-dione, (3a $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7a $\alpha$ )-2-(4-Fluoro-3-methylphenyl)-3a,4,7,7a-tetrahydro-4,7-ethano-1H-isoindole-1,3(2H)-dione, (3a $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7a $\alpha$ )-3a,4,7,7a-Tetrahydro-2-(3-methoxy-4-methylphenyl)-4,7-ethano-1H-isoindole-1,3(2H)-dione, (3a $\alpha$ ,4 $\alpha$ ,8 $\alpha$ ,8a $\alpha$ )-2-(2,3-Dimethyl-1H-indol-5-yl)-3a,4,7,7a-tetrahydro-4,7-ethano-1H-isoindole-1,3(2H)-dione, (3a $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7a $\alpha$ )-2-(3-Dibenzofuranyl)-3a,4,7,7a-tetrahydro-4,7-ethano-1H-isoindole-1,3(2H)-dione, (3a $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7a $\alpha$ )-3a,4,7,7a-Tetrahydro-2-(2'-hydroxy[1,1':3',1''-terphenyl]-5'-yl)-4,7-ethano-1H-isoindole-1,3(2H)-dione, (3a $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7a $\alpha$ )-3a,4,7,7a-Tetrahydro-2-(5,6,7,8-tetrahydro-3-hydroxy-2-naphthalenyl)-4,7-ethano-1H-isoindole-1,3(2H)-dione, (3a $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7a $\alpha$ )-2-(1,3-Dihydro-2,2-dioxidobenzo[c]thiophen-5-yl)hexahydro-4,7-ethano-1H-isoindole-1,3(2H)-dione, (3a $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7a $\alpha$ )-3a,4,7,7a-Tetrahydro-2-(2-hydroxy-4,5-dimethylphenyl)-4,7-ethano-1H-isoindole-1,3(2H)-dione, (3a $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7a $\alpha$ )-3a,4,7,7a-Tetrahydro-2-(2,2,3,3-tetrafluoro-2,3-dihydro-1,4-benzodioxin-6-yl)-4,7-ethano-1H-isoindole-1,3(2H)-dione, (3a $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7a $\alpha$ )-3a,4,7,7a-Tetrahydro-2-(1H-indazol-5-yl)-4,7-ethano-1H-isoindole-1,3(2H)-dione, (3a $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7a $\alpha$ )-2-(4-Amino-2,3,5,6-tetrafluorophenyl)-3a,4,7,7a-tetrahydro-4,7-ethano-1H-isoindole-1,3(2H)-dione, (3a $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7a $\alpha$ )-2-(4-Bromo-3-chlorophenyl)-3a,4,7,7a-tetrahydro-4,7-ethano-1H-isoindole-1,3(2H)-dione, (3a $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7a $\alpha$ )-3a,4,7,7a-Tetrahydro-2-(5-hydroxy-1-naphthalenyl)-4,7-ethano-1H-isoindole-1,3(2H)-dione, (3a $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7a $\alpha$ )-2-(4-Bromophenyl)-3a,4,7,7a-tetrahydro-4,7-ethano-1H-isoindole-1,3(2H)-dione, (3a $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7a $\alpha$ )-3a,4,7,7a-Tetrahydro-2-(2-naphthalenyl)-4,7-ethano-1H-isoindole-1,3(2H)-dione, (3a $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7a $\alpha$ )-3a,4,7,7a-Tetrahydro-2-[3-(trifluoromethyl)phenyl]-4,7-ethano-1H-isoindole-1,3(2H)-dione, (3a $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7a $\alpha$ )-3a,4,7,7a-Tetrahydro-2-(4-nitrophenyl)-4,7-ethano-1H-isoindole-1,3(2H)-dione, (3a $\alpha$ ,4 $\alpha$ ,8 $\alpha$ ,8a $\alpha$ )-2-(9-Ethyl-9H-carbazol-3-yl)-3a,4,7,7a-tetrahydro-4,7-ethano-1H-isoindole-1,3(2H)-dione, (3a $\alpha$ ,4 $\alpha$ ,8 $\alpha$ ,8a $\alpha$ )-2-[1,2-Dihydro-8-methyl-2-oxo-4-(trifluoromethyl)-7-quinoliny]-3a,4,7,7a-tetrahydro-4,7-ethano-1H-isoindole-1,3(2H)-dione, (3a $\alpha$ ,4 $\beta$ ,4a $\alpha$ ,5a $\alpha$ ,6 $\beta$ ,6a $\alpha$ )-2-(3,4-Dichlorophenyl)-4,4a,5,5a,6,6a-hexahydro-4,6-ethanocycloprop[*f*]isoindole-1,3(2H,3aH)-dione,

(3a $\alpha$ ,4 $\beta$ ,4a $\alpha$ ,5a $\alpha$ ,6 $\beta$ ,6a $\alpha$ )-2-(4-Bromo-3-methylphenyl)-4,4a,5,5a,6,6a-hexahydro-4,6-ethanocycloprop[f]isoindole-1,3(2H,3aH)-dione, (3a $\alpha$ ,4 $\beta$ ,4a $\alpha$ ,5a $\alpha$ ,6 $\beta$ ,6a $\alpha$ )-4,4a,5,5a,6,6a-Hexahydro-2-(1-naphthalenyl)-4,6-ethanocycloprop[f]isoindole-1,3(2H,3aH)-dione, (3a $\alpha$ ,4 $\beta$ ,4a $\alpha$ ,5a $\alpha$ ,6 $\beta$ ,6a $\alpha$ )-4,4a,5,5a,6,6a-Hexahydro-2-(2-naphthalenyl)-4,6-ethanocycloprop[f]isoindole-1,3(2H,3aH)-dione, (3a $\alpha$ ,4 $\beta$ ,4a $\alpha$ ,5a $\alpha$ ,6 $\beta$ ,6a $\alpha$ )-4,4a,5,5a,6,6a-Hexahydro-2-[3-(trifluoromethyl)phenyl]-4,6-ethanocycloprop[f]isoindole-1,3(2H,3aH)-dione, (3a $\alpha$ ,4 $\beta$ ,4a $\alpha$ ,5a $\alpha$ ,6 $\beta$ ,6a $\alpha$ )-2-(3,5-Dichlorophenyl)-4,4a,5,5a,6,6a-hexahydro-4,6-ethanocycloprop[f]isoindole-1,3(2H,3aH)-dione, (3a $\alpha$ ,4 $\beta$ ,4a $\alpha$ ,5a $\alpha$ ,6 $\beta$ ,6a $\alpha$ )-4,4a,5,5a,6,6a-Hexahydro-2-[4-nitro-3-(trifluoromethyl)phenyl]-4,6-ethanocycloprop[f]isoindole-1,3(2H,3aH)-dione, (3a $\alpha$ ,4 $\beta$ ,4a $\alpha$ ,5a $\alpha$ ,6 $\beta$ ,6a $\alpha$ )-2-[3,5-Bis(trifluoromethyl)phenyl]-4,4a,5,5a,6,6a-hexahydro-4,6-ethanocycloprop[f]isoindole-1,3(2H,3aH)-dione, (3a $\alpha$ ,4 $\beta$ ,4a $\alpha$ ,5a $\alpha$ ,6 $\beta$ ,6a $\alpha$ )-4,4a,5,5a,6,6a-Hexahydro-2-(1,2,3,4-tetrahydro-1-naphthalenyl)-4,6-ethanocycloprop[f]isoindole-1,3(2H,3aH)-dione, (3a $\alpha$ ,4 $\beta$ ,4a $\alpha$ ,5a $\alpha$ ,6 $\beta$ ,6a $\alpha$ )-2-(2,3-Dihydro-1H-inden-5-yl)-4,4a,5,5a,6,6a-hexahydro-4,6-ethanocycloprop[f]isoindole-1,3(2H,3aH)-dione, (3a $\alpha$ ,4 $\beta$ ,4a $\alpha$ ,5a $\alpha$ ,6 $\beta$ ,6a $\alpha$ )-4-(Octahydro-1,3-dioxo-4,6-ethanocycloprop[f]isoindol-2(1H)-yl)-1-naphthalenecarbonitrile, (3a $\alpha$ ,4 $\beta$ ,4a $\alpha$ ,5a $\alpha$ ,6 $\beta$ ,6a $\alpha$ )-2-(4-Bromo-1-naphthalenyl)-4,4a,5,5a,6,6a-hexahydro-4,6-ethanocycloprop[f]isoindole-1,3(2H,3aH)-dione, (3a $\alpha$ ,4 $\beta$ ,4a $\alpha$ ,5a $\alpha$ ,6 $\beta$ ,6a $\alpha$ )-2-(4-Chloro-1-naphthalenyl)-4,4a,5,5a,6,6a-hexahydro-4,6-ethanocycloprop[f]isoindole-1,3(2H,3aH)-dione, (3a $\alpha$ ,4 $\beta$ ,4a $\alpha$ ,5a $\alpha$ ,6 $\beta$ ,6a $\alpha$ )-4,4a,5,5a,6,6a-Hexahydro-2-(5-quinolinyl)-4,6-ethanocycloprop[f]isoindole-1,3(2H,3aH)-dione, (3a $\alpha$ ,4 $\beta$ ,4a $\alpha$ ,5a $\alpha$ ,6 $\beta$ ,6a $\alpha$ )-4,4a,5,5a,6,6a-Hexahydro-2-(6-quinolinyl)-4,6-ethanocycloprop[f]isoindole-1,3(2H,3aH)-dione, (3a $\alpha$ ,4 $\beta$ ,4a $\alpha$ ,5a $\alpha$ ,6 $\beta$ ,6a $\alpha$ )-4,4a,5,5a,6,6a-Hexahydro-2-(4-methyl-2-oxo-2H-1-benzopyran-7-yl)-4,6-ethanocycloprop[f]isoindole-1,3(2H,3aH)-dione, (3a $\alpha$ ,4 $\beta$ ,4a $\alpha$ ,5a $\alpha$ ,6 $\beta$ ,6a $\alpha$ )-4,4a,5,5a,6,6a-Hexahydro-2-(5-isoquinolinyl)-4,6-ethanocycloprop[f]isoindole-1,3(2H,3aH)-dione, (3a $\alpha$ ,4 $\beta$ ,4a $\alpha$ ,5a $\alpha$ ,6 $\beta$ ,6a $\alpha$ )-2-(3,5-Dinitrophenyl)-4,4a,5,5a,6,6a-hexahydro-4,6-ethanocycloprop[f]isoindole-1,3(2H,3aH)-dione, (3a $\alpha$ ,4 $\beta$ ,4a $\alpha$ ,5a $\alpha$ ,6 $\beta$ ,6a $\alpha$ )-4,4a,5,5a,6,6a-Hexahydro-2-(2,4,5-trifluorophenyl)-4,6-ethanocycloprop[f]isoindole-1,3(2H,3aH)-dione, (3a $\alpha$ ,4 $\beta$ ,4a $\alpha$ ,5a $\alpha$ ,6 $\beta$ ,6a $\alpha$ )-2-[2-Fluoro-5-(trifluoromethyl)phenyl]-4,4a,5,5a,6,6a-hexahydro-4,6-ethanocycloprop[f]isoindole-1,3(2H,3aH)-dione, (3a $\alpha$ ,4 $\beta$ ,4a $\alpha$ ,5a $\alpha$ ,6 $\beta$ ,6a $\alpha$ )-2-(2-Fluoro-5-methylphenyl)-4,4a,5,5a,6,6a-hexahydro-4,6-ethanocycloprop[f]isoindole-1,3(2H,3aH)-dione, (3a $\alpha$ ,4 $\beta$ ,4a $\alpha$ ,5a $\alpha$ ,6 $\beta$ ,6a $\alpha$ )-2-(2-Chloro-4-nitrophenyl)-4,4a,5,5a,6,6a-hexahydro-4,6-ethanocycloprop[f]isoindole-1,3(2H,3aH)-dione, (3a $\alpha$ ,4 $\beta$ ,4a $\alpha$ ,5a $\alpha$ ,6 $\beta$ ,6a $\alpha$ )-2-[2-Chloro-5-(trifluoromethyl)phenyl]-4,4a,5,5a,6,6a-hexahydro-4,6-ethanocycloprop[f]isoindole-1,3(2H,3aH)-dione, (3a $\alpha$ ,4 $\beta$ ,4a $\alpha$ ,5a $\alpha$ ,6 $\beta$ ,6a $\alpha$ )-2-(3-Fluorophenyl)-

4,4a,5,5a,6,6a-hexahydro-4,6-ethanocycloprop[f]isoindole-1,3(2H,3aH)-dione, (3a $\alpha$ ,4 $\beta$ ,4a $\alpha$ ,5a $\alpha$ ,6 $\beta$ ,6a $\alpha$ )-2-(3,4-Difluorophenyl)-4,4a,5,5a,6,6a-hexahydro-4,6-ethanocycloprop[f]isoindole-1,3(2H,3aH)-dione, (3a $\alpha$ ,4 $\beta$ ,4a $\alpha$ ,5a $\alpha$ ,6 $\beta$ ,6a $\alpha$ )-2-(3-Fluoro-4-methylphenyl)-4,4a,5,5a,6,6a-hexahydro-4,6-ethanocycloprop[f]isoindole-1,3(2H,3aH)-dione, (3a $\alpha$ ,4 $\beta$ ,4a $\alpha$ ,5a $\alpha$ ,6 $\beta$ ,6a $\alpha$ )-2-(3,5-Difluorophenyl)-4,4a,5,5a,6,6a-hexahydro-4,6-ethanocycloprop[f]isoindole-1,3(2H,3aH)-dione, (3a $\alpha$ ,4 $\beta$ ,4a $\alpha$ ,5a $\alpha$ ,6 $\beta$ ,6a $\alpha$ )-2-(3-Chlorophenyl)-4,4a,5,5a,6,6a-hexahydro-4,6-ethanocycloprop[f]isoindole-1,3(2H,3aH)-dione, (3a $\alpha$ ,4 $\beta$ ,4a $\alpha$ ,5a $\alpha$ ,6 $\beta$ ,6a $\alpha$ )-2-(3-Chloro-4-fluorophenyl)-4,4a,5,5a,6,6a-hexahydro-4,6-ethanocycloprop[f]isoindole-1,3(2H,3aH)-dione, (3a $\alpha$ ,4 $\beta$ ,4a $\alpha$ ,5a $\alpha$ ,6 $\beta$ ,6a $\alpha$ )-4,4a,5,5a,6,6a-Hexahydro-2-(3,4,5-trichlorophenyl)-4,6-ethanocycloprop[f]isoindole-1,3(2H,3aH)-dione, (3a $\alpha$ ,4 $\beta$ ,4a $\alpha$ ,5a $\alpha$ ,6 $\beta$ ,6a $\alpha$ )-2-(3-Chloro-4-methylphenyl)-4,4a,5,5a,6,6a-hexahydro-4,6-ethanocycloprop[f]isoindole-1,3(2H,3aH)-dione, (3a $\alpha$ ,4 $\beta$ ,4a $\alpha$ ,5a $\alpha$ ,6 $\beta$ ,6a $\alpha$ )-4,4a,5,5a,6,6a-Hexahydro-2-(3-iodophenyl)-4,6-ethanocycloprop[f]isoindole-1,3(2H,3aH)-dione, (3a $\alpha$ ,4 $\beta$ ,4a $\alpha$ ,5a $\alpha$ ,6 $\beta$ ,6a $\alpha$ )-4,4a,5,5a,6,6a-Hexahydro-2-(3-nitrophenyl)-4,6-ethanocycloprop[f]isoindole-1,3(2H,3aH)-dione, (3a $\alpha$ ,4 $\beta$ ,4a $\alpha$ ,5a $\alpha$ ,6 $\beta$ ,6a $\alpha$ )-2-(3-Acetylphenyl)-4,4a,5,5a,6,6a-hexahydro-4,6-ethanocycloprop[f]isoindole-1,3(2H,3aH)-dione, (3a $\alpha$ ,4 $\beta$ ,4a $\alpha$ ,5a $\alpha$ ,6 $\beta$ ,6a $\alpha$ )-2-(3,4-Dimethylphenyl)-4,4a,5,5a,6,6a-hexahydro-4,6-ethanocycloprop[f]isoindole-1,3(2H,3aH)-dione, (3a $\alpha$ ,4 $\beta$ ,4a $\alpha$ ,5a $\alpha$ ,6 $\beta$ ,6a $\alpha$ )-2-(3,5-Dimethylphenyl)-4,4a,5,5a,6,6a-hexahydro-4,6-ethanocycloprop[f]isoindole-1,3(2H,3aH)-dione, (3a $\alpha$ ,4 $\beta$ ,4a $\alpha$ ,5a $\alpha$ ,6 $\beta$ ,6a $\alpha$ )-4,4a,5,5a,6,6a-Hexahydro-2-[3-(hydroxymethyl)phenyl]-4,6-ethanocycloprop[f]isoindole-1,3(2H,3aH)-dione, (3a $\alpha$ ,4 $\beta$ ,4a $\alpha$ ,5a $\alpha$ ,6 $\beta$ ,6a $\alpha$ )-2-(3-Ethylphenyl)-4,4a,5,5a,6,6a-hexahydro-4,6-ethanocycloprop[f]isoindole-1,3(2H,3aH)-dione, (3a $\alpha$ ,4 $\beta$ ,4a $\alpha$ ,5a $\alpha$ ,6 $\beta$ ,6a $\alpha$ )-2-(4-Bromophenyl)-4,4a,5,5a,6,6a-hexahydro-4,6-ethanocycloprop[f]isoindole-1,3(2H,3aH)-dione, (3a $\alpha$ ,4 $\beta$ ,4a $\alpha$ ,5a $\alpha$ ,6 $\beta$ ,6a $\alpha$ )-2-[4-Bromo-3-(trifluoromethyl)phenyl]-4,4a,5,5a,6,6a-hexahydro-4,6-ethanocycloprop[f]isoindole-1,3(2H,3aH)-dione, (3a $\alpha$ ,4 $\beta$ ,4a $\alpha$ ,5a $\alpha$ ,6 $\beta$ ,6a $\alpha$ )-2-(4-Fluoro-3-nitrophenyl)-4,4a,5,5a,6,6a-hexahydro-4,6-ethanocycloprop[f]isoindole-1,3(2H,3aH)-dione, (3a $\alpha$ ,4 $\beta$ ,4a $\alpha$ ,5a $\alpha$ ,6 $\beta$ ,6a $\alpha$ )-2-[4-Fluoro-3-(trifluoromethyl)phenyl]-4,4a,5,5a,6,6a-hexahydro-4,6-ethanocycloprop[f]isoindole-1,3(2H,3aH)-dione, (3a $\alpha$ ,4 $\beta$ ,4a $\alpha$ ,5a $\alpha$ ,6 $\beta$ ,6a $\alpha$ )-2-(4-Chloro-3-nitrophenyl)-4,4a,5,5a,6,6a-hexahydro-4,6-ethanocycloprop[f]isoindole-1,3(2H,3aH)-dione, (3a $\alpha$ ,4 $\beta$ ,4a $\alpha$ ,5a $\alpha$ ,6 $\beta$ ,6a $\alpha$ )-4,4a,5,5a,6,6a-Hexahydro-2-(4-iodophenyl)-4,6-ethanocycloprop[f]isoindole-1,3(2H,3aH)-dione, (3a $\alpha$ ,4 $\beta$ ,4a $\alpha$ ,5a $\alpha$ ,6 $\beta$ ,6a $\alpha$ )-4,4a,5,5a,6,6a-Hexahydro-2-(4-nitrophenyl)-4,6-ethanocycloprop[f]isoindole-1,3(2H,3aH)-dione, (3a $\alpha$ ,4 $\beta$ ,4a $\alpha$ ,5a $\alpha$ ,6 $\beta$ ,6a $\alpha$ )-4,4a,5,5a,6,6a-

Hexahydro-2-[4-(1-methylethyl)phenyl]-4,6-ethanocycloprop[f]isoindole-1,3(2H,3aH)-dione, (3a $\alpha$ ,4 $\beta$ ,4a $\alpha$ ,5a $\alpha$ ,6 $\beta$ ,6a $\alpha$ )-4,4a,5,5a,6,6a-Hexahydro-2-(4-methyl-3-nitrophenyl)-4,6-ethanocycloprop[f]isoindole-1,3(2H,3aH)-dione, (3a $\alpha$ ,4 $\beta$ ,4a $\alpha$ ,5a $\alpha$ ,6 $\beta$ ,6a $\alpha$ )-2-(4-Ethylphenyl)-4,4a,5,5a,6,6a-hexahydro-4,6-ethanocycloprop[f]isoindole-1,3(2H,3aH)-dione, (3a $\alpha$ ,4 $\beta$ ,4a $\alpha$ ,5a $\alpha$ ,6 $\beta$ ,6a $\alpha$ )-4,4a,5,5a,6,6a-Hexahydro-2-(4-propylphenyl)-4,6-ethanocycloprop[f]isoindole-1,3(2H,3aH)-dione, (3a $\alpha$ ,4 $\beta$ ,4a $\alpha$ ,5a $\alpha$ ,6 $\beta$ ,6a $\alpha$ )-4,4a,5,5a,6,6a-Hexahydro-2-(2,3,4-trifluorophenyl)-4,6-ethanocycloprop[f]isoindole-1,3(2H,3aH)-dione, (3a $\alpha$ ,4 $\beta$ ,4a $\alpha$ ,5a $\alpha$ ,6 $\beta$ ,6a $\alpha$ )-2-[4-(1,1-Dimethylethyl)-3-nitrophenyl]-4,4a,5,5a,6,6a-hexahydro-4,6-ethanocycloprop[f]isoindole-1,3(2H,3aH)-dione, (3a $\alpha$ ,4 $\beta$ ,4a $\alpha$ ,5a $\alpha$ ,6 $\beta$ ,6a $\alpha$ )-2-(4-Bromo-2,6-difluorophenyl)-4,4a,5,5a,6,6a-hexahydro-4,6-ethanocycloprop[f]isoindole-1,3(2H,3aH)-dione, (3a $\alpha$ ,4 $\beta$ ,4a $\alpha$ ,5a $\alpha$ ,6 $\beta$ ,6a $\alpha$ )-2-(6-Benzothiazolyl)-4,4a,5,5a,6,6a-hexahydro-4,6-ethanocycloprop[f]isoindole-1,3(2H,3aH)-dione, (3a $\alpha$ ,4 $\beta$ ,4a $\alpha$ ,5a $\alpha$ ,6 $\beta$ ,6a $\alpha$ )-4,4a,5,5a,6,6a-Hexahydro-2-(2-methyl-8-quinolinyl)-4,6-ethanocycloprop[f]isoindole-1,3(2H,3aH)-dione, (3a $\alpha$ ,4 $\beta$ ,4a $\alpha$ ,5a $\alpha$ ,6 $\beta$ ,6a $\alpha$ )-2-(4-Fluoro-3-methylphenyl)-4,4a,5,5a,6,6a-hexahydro-4,6-ethanocycloprop[f]isoindole-1,3(2H,3aH)-dione, (3a $\alpha$ ,4 $\beta$ ,4a $\alpha$ ,5a $\alpha$ ,6 $\beta$ ,6a $\alpha$ )-2-(1,3-Dihydro-3-oxo-5-isobenzofuranyl)-4,4a,5,5a,6,6a-hexahydro-4,6-ethanocycloprop[f]isoindole-1,3(2H,3aH)-dione, (3a $\alpha$ ,4 $\beta$ ,4a $\alpha$ ,5a $\alpha$ ,6 $\beta$ ,6a $\alpha$ )-2-(5-Acetyl-2-methyl-4-nitrophenyl)-4,4a,5,5a,6,6a-hexahydro-4,6-ethanocycloprop[f]isoindole-1,3(2H,3aH)-dione, (3a $\alpha$ ,4 $\beta$ ,4a $\alpha$ ,5a $\alpha$ ,6 $\beta$ ,6a $\alpha$ )-2-(2-Ethyl-5-nitrophenyl)-4,4a,5,5a,6,6a-hexahydro-4,6-ethanocycloprop[f]isoindole-1,3(2H,3aH)-dione, (3a $\alpha$ ,4 $\beta$ ,4a $\alpha$ ,5a $\alpha$ ,6 $\beta$ ,6a $\alpha$ )-4,4a,5,5a,6,6a-Hexahydro-2-(2-methyl-5-benzofuranyl)-4,6-ethanocycloprop[f]isoindole-1,3(2H,3aH)-dione, (3a $\alpha$ ,4 $\beta$ ,4a $\alpha$ ,5a $\alpha$ ,6 $\beta$ ,6a $\alpha$ )-2-(2,3-Dihydro-1-oxo-1H-inden-5-yl)-4,4a,5,5a,6,6a-hexahydro-4,6-ethanocycloprop[f]isoindole-1,3(2H,3aH)-dione, (3a $\alpha$ ,4 $\beta$ ,4a $\alpha$ ,5a $\alpha$ ,6 $\beta$ ,6a $\alpha$ )-4,4a,5,5a,6,6a-Hexahydro-2-(1H-indazol-5-yl)-4,6-ethanocycloprop[f]isoindole-1,3(2H,3aH)-dione, (3a $\alpha$ ,4 $\beta$ ,4a $\alpha$ ,5a $\alpha$ ,6 $\beta$ ,6a $\alpha$ )-4,4a,5,5a,6,6a-Hexahydro-2-[4-[2,2,2-trifluoro-1-hydroxy-1-(trifluoromethyl)ethyl]phenyl]-4,6-ethanocycloprop[f]isoindole-1,3(2H,3aH)-dione, (3a $\alpha$ ,4 $\beta$ ,4a $\alpha$ ,5a $\alpha$ ,6 $\beta$ ,6a $\alpha$ )-2-(4-Bromo-3-chlorophenyl)-4,4a,5,5a,6,6a-hexahydro-4,6-ethanocycloprop[f]isoindole-1,3(2H,3aH)-dione, (3a $\alpha$ ,4 $\beta$ ,4a $\alpha$ ,5a $\alpha$ ,6 $\beta$ ,6a $\alpha$ )-4,4a,5,5a,6,6a-Hexahydro-2-[3-(trifluoromethoxy)phenyl]-4,6-ethanocycloprop[f]isoindole-1,3(2H,3aH)-dione, (3a $\alpha$ ,4 $\beta$ ,4a $\alpha$ ,5a $\alpha$ ,6 $\beta$ ,6a $\alpha$ )-4,4a,5,5a,6,6a-Hexahydro-2-[4-methoxy-3-(trifluoromethyl)phenyl]-4,6-ethanocycloprop[f]isoindole-1,3(2H,3aH)-dione, (3a $\alpha$ ,4 $\beta$ ,4a $\alpha$ ,5a $\alpha$ ,6 $\beta$ ,6a $\alpha$ )-2-(3,5-Dibromophenyl)-4,4a,5,5a,6,6a-hexahydro-4,6-ethanocycloprop[f]isoindole-1,3(2H,3aH)-dione, (3a $\alpha$ ,4 $\beta$ ,4a $\alpha$ ,5a $\alpha$ ,6 $\beta$ ,6a $\alpha$ )-4,4a,5,5a,6,6a-Hexahydro-2-(3-iodo-4-methylphenyl)-4,6-ethanocycloprop[f]isoindole-1,3(2H,3aH)-dione,



(3a $\alpha$ ,4 $\beta$ ,4a $\alpha$ ,5a $\alpha$ ,6 $\beta$ ,6a $\alpha$ )-2-(3-Chloro-4-iodophenyl)-4,4a,5,5a,6,6a-hexahydro-4,6-ethanocycloprop[f]isoindole-1,3(2H,3aH)-dione, (3a $\alpha$ ,4 $\beta$ ,4a $\alpha$ ,5a $\alpha$ ,6 $\beta$ ,6a $\alpha$ )-4,4a,5,5a,6,6a-Hexahydro-2-(2-methyl-6-quinolinyl)-4,6-ethanocycloprop[f]isoindole-1,3(2H,3aH)-dione, (3a $\alpha$ ,4 $\beta$ ,4a $\alpha$ ,5a $\alpha$ ,6 $\beta$ ,6a $\alpha$ )-4,4a,5,5a,6,6a-Hexahydro-2-[4-(trifluoromethyl)phenyl]-4,6-ethanocycloprop[f]isoindole-1,3(2H,3aH)-dione, (3a $\alpha$ ,4 $\beta$ ,4a $\alpha$ ,5a $\alpha$ ,6 $\beta$ ,6a $\alpha$ )-2-(4-Chloro-3-methylphenyl)-4,4a,5,5a,6,6a-hexahydro-4,6-ethanocycloprop[f]isoindole-1,3(2H,3aH)-dione, (3a $\alpha$ ,4 $\beta$ ,4a $\alpha$ ,5a $\alpha$ ,6 $\beta$ ,6a $\alpha$ )-4,4a,5,5a,6,6a-Hexahydro-2-[4-(methoxymethyl)-2-oxo-2H-1-benzopyran-7-yl]-4,6-ethanocycloprop[f]isoindole-1,3(2H,3aH)-dione, (3a $\alpha$ ,4 $\beta$ ,4a $\alpha$ ,5a $\alpha$ ,6 $\beta$ ,6a $\alpha$ )-4,4a,5,5a,6,6a-Hexahydro-2-(2-oxo-2H-1-benzopyran-6-yl)-4,6-ethanocycloprop[f]isoindole-1,3(2H,3aH)-dione, (3a $\alpha$ ,4 $\beta$ ,4a $\alpha$ ,5a $\alpha$ ,6 $\beta$ ,6a $\alpha$ )-4,4a,5,5a,6,6a-Hexahydro-2-[2-[(1-methylethyl)amino]-5-(trifluoromethyl)phenyl]-4,6-ethanocycloprop[f]isoindole-1,3(2H,3aH)-dione, (3a $\alpha$ ,4 $\beta$ ,4a $\alpha$ ,5a $\alpha$ ,6 $\beta$ ,6a $\alpha$ )-2-(3-Chloro-4-nitrophenyl)-4,4a,5,5a,6,6a-hexahydro-4,6-ethanocycloprop[f]isoindole-1,3(2H,3aH)-dione, (3a $\alpha$ ,4 $\beta$ ,4a $\alpha$ ,5a $\alpha$ ,6 $\beta$ ,6a $\alpha$ )-4,4a,5,5a,6,6a-Hexahydro-2-(3-methyl-4-nitrophenyl)-4,6-ethanocycloprop[f]isoindole-1,3(2H,3aH)-dione, (3a $\alpha$ ,4 $\beta$ ,4a $\alpha$ ,5a $\alpha$ ,6 $\beta$ ,6a $\alpha$ )-2-[5-[(Difluoromethyl)sulfonyl]-2-methoxyphenyl]-4,4a,5,5a,6,6a-hexahydro-4,6-ethanocycloprop[f]isoindole-1,3(2H,3aH)-dione, (3a $\alpha$ ,4 $\beta$ ,4a $\alpha$ ,5a $\alpha$ ,6 $\beta$ ,6a $\alpha$ )-4,4a,5,5a,6,6a-Hexahydro-2-[3-(1-methylethyl)phenyl]-4,6-ethanocycloprop[f]isoindole-1,3(2H,3aH)-dione, (3a $\alpha$ ,4 $\beta$ ,4a $\alpha$ ,5a $\alpha$ ,6 $\beta$ ,6a $\alpha$ )-4,4a,5,5a,6,6a-Hexahydro-2-[4-[(trifluoromethyl)thio]phenyl]-4,6-ethanocycloprop[f]isoindole-1,3(2H,3aH)-dione, (3a $\alpha$ ,4 $\beta$ ,4a $\alpha$ ,5a $\alpha$ ,6 $\beta$ ,6a $\alpha$ )-4,4a,5,5a,6,6a-Hexahydro-2-[2-(2-methoxyphenoxy)-5-(trifluoromethyl)phenyl]-4,6-ethanocycloprop[f]isoindole-1,3(2H,3aH)-dione, (3a $\alpha$ ,4 $\beta$ ,4a $\alpha$ ,5a $\alpha$ ,6 $\beta$ ,6a $\alpha$ )-4,4a,5,5a,6,6a-Hexahydro-2-[4-(1,1,2,2-tetrafluoroethoxy)phenyl]-4,6-ethanocycloprop[f]isoindole-1,3(2H,3aH)-dione, (3a $\alpha$ ,4 $\beta$ ,4a $\alpha$ ,5a $\alpha$ ,6 $\beta$ ,6a $\alpha$ )-2-(3-Acetyl-4-nitrophenyl)-4,4a,5,5a,6,6a-hexahydro-4,6-ethanocycloprop[f]isoindole-1,3(2H,3aH)-dione, (3a $\alpha$ ,4 $\beta$ ,4a $\alpha$ ,5a $\alpha$ ,6 $\beta$ ,6a $\alpha$ )-2-[3-(1,1-Dimethylethyl)phenyl]-4,4a,5,5a,6,6a-hexahydro-4,6-ethanocycloprop[f]isoindole-1,3(2H,3aH)-dione, (3a $\alpha$ ,4 $\beta$ ,4a $\alpha$ ,5a $\alpha$ ,6 $\beta$ ,6a $\alpha$ )-4,4a,5,5a,6,6a-Hexahydro-2-[2-methyl-3-(trifluoromethyl)phenyl]-4,6-ethanocycloprop[f]isoindole-1,3(2H,3aH)-dione, (3a $\alpha$ ,4 $\beta$ ,4a $\alpha$ ,5a $\alpha$ ,6 $\beta$ ,6a $\alpha$ )-4,4a,5,5a,6,6a-Hexahydro-2-(4-nitro-1-naphthalenyl)-4,6-ethanocycloprop[f]isoindole-1,3(2H,3aH)-dione, 2-(2-Fluorenyl)hexahydro-1H-isoindole-1,3(2H)-dione, 2-[3-Chloro-4-(4-morpholinyl)phenyl]hexahydro-1H-isoindole-1,3(2H)-dione, 2-(2,3-Dihydro-1H-inden-5-yl)hexahydro-1H-isoindole-1,3(2H)-dione, 2-(4-Bromo-1-naphthalenyl)hexahydro-1H-isoindole-1,3(2H)-dione, 2-(4-Chloro-1-naphthalenyl)hexahydro-1H-isoindole-1,3(2H)-dione, Hexahydro-2-(3-iodo-4-methylphenyl)-1H-isoindole-1,3(2H)-dione, Hexahydro-2-(4-nitro-1-naphthalenyl)-1H-isoindole-1,3(2H)-dione,

Hexahydro-2-(1H-indol-5-yl)-1H-isoindole-1,3(2H)-dione, Hexahydro-2-(5-quinoliny)-1H-isoindole-1,3(2H)-dione, Hexahydro-2-(1H-indazol-6-yl)-1H-isoindole-1,3(2H)-dione, 2-(1,3-Benzodioxol-5-yl)hexahydro-1H-isoindole-1,3(2H)-dione, 2-(3-Fluoro-4-methylphenyl)hexahydro-1H-isoindole-1,3(2H)-dione, Hexahydro-2-[4-nitro-3-(trifluoromethyl)phenyl]-1H-isoindole-1,3(2H)-dione, Hexahydro-2-(8-quinoliny)-1H-isoindole-1,3(2H)-dione, 2-(2,3-Dihydro-1,4-benzodioxin-6-yl)hexahydro-1H-isoindole-1,3(2H)-dione, Hexahydro-2-(4-methyl-2-oxo-2H-1-benzopyran-7-yl)-1H-isoindole-1,3(2H)-dione, Hexahydro-2-(5-isoquinoliny)-1H-isoindole-1,3(2H)-dione, Hexahydro-2-(2,4,5-trifluorophenyl)-1H-isoindole-1,3(2H)-dione, Hexahydro-2-(2,4,5-trichlorophenyl)-1H-isoindole-1,3(2H)-dione, Hexahydro-2-(2,3,4,6-tetrafluorophenyl)-1H-isoindole-1,3(2H)-dione, 2-(3,4-Difluorophenyl)hexahydro-1H-isoindole-1,3(2H)-dione, 2-(3-Chloro-4-fluorophenyl)hexahydro-1H-isoindole-1,3(2H)-dione, 2-(3,4-Dichlorophenyl)hexahydro-1H-isoindole-1,3(2H)-dione, Hexahydro-2-(3,4,5-trichlorophenyl)-1H-isoindole-1,3(2H)-dione, 2-(3-Chloro-4-methoxyphenyl)hexahydro-1H-isoindole-1,3(2H)-dione, 2-(3-Chloro-4-methylphenyl)hexahydro-1H-isoindole-1,3(2H)-dione, Hexahydro-2-(2-methyl-1-naphthalenyl)-1H-isoindole-1,3(2H)-dione, 2-(4-Chloro-3-methylphenyl)hexahydro-1H-isoindole-1,3(2H)-dione, 2-(3,4-Dimethylphenyl)hexahydro-1H-isoindole-1,3(2H)-dione, 2-[4-Bromo-3-(trifluoromethyl)phenyl]hexahydro-1H-isoindole-1,3(2H)-dione, 2-(4-Bromo-3-methylphenyl)hexahydro-1H-isoindole-1,3(2H)-dione, 2-(4-Fluoro-3-nitrophenyl)hexahydro-1H-isoindole-1,3(2H)-dione, 2-[4-Fluoro-3-(trifluoromethyl)phenyl]hexahydro-1H-isoindole-1,3(2H)-dione, 2-(4-Chloro-3-nitrophenyl)hexahydro-1H-isoindole-1,3(2H)-dione, 2-[4-Chloro-3-(trifluoromethyl)phenyl]hexahydro-1H-isoindole-1,3(2H)-dione, 2-(4-Chloro-2-methoxy-5-methylphenyl)hexahydro-1H-isoindole-1,3(2H)-dione, 2-(3-Fluoro-4-methoxyphenyl)hexahydro-1H-isoindole-1,3(2H)-dione, Hexahydro-2-(4-methyl-3-nitrophenyl)-1H-isoindole-1,3(2H)-dione, Hexahydro-2-(3,4,5-trimethoxyphenyl)-1H-isoindole-1,3(2H)-dione, 2-(3,4-Dimethoxyphenyl)hexahydro-1H-isoindole-1,3(2H)-dione, Hexahydro-2-[2-(2-pyridinyl)-1H-benzimidazol-5-yl]-1H-isoindole-1,3(2H)-dione, 2-(9-Ethyl-9H-carbazol-3-yl)hexahydro-1H-isoindole-1,3(2H)-dione, Hexahydro-2-(2-methoxy-3-dibenzofuranyl)-1H-isoindole-1,3(2H)-dione, Hexahydro-2-(2,3,4-trifluorophenyl)-1H-isoindole-1,3(2H)-dione, Hexahydro-2-methyl-5-(octahydro-1,3-dioxo-2H-isoindol-2-yl)-1H-isoindole-1,3(2H)-dione, Hexahydro-2-[6-(methylthio)-5-nitro-8-quinoliny]-1H-isoindole-1,3(2H)-dione, 2-[2,5-Dichloro-4-(1H-pyrrol-1-yl)phenyl]hexahydro-1H-isoindole-1,3(2H)-dione, Hexahydro-2-(6-methyl-5-quinoliny)-1H-isoindole-1,3(2H)-dione, Hexahydro-2-[4-(methoxymethyl)-2-oxo-2H-1-benzopyran-7-yl]-1H-isoindole-1,3(2H)-dione, 2-(6-Benzothiazolyl)hexahydro-1H-isoindole-1,3(2H)-dione, 2-Methyl-5-(octahydro-1,3-dioxo-2H-isoindol-2-yl)benzonitrile, Hexahydro-2-(2-oxo-2H-1-benzopyran-6-yl)-1H-isoindole-1,3(2H)-dione, Hexahydro-2-(2-methyl-8-quinoliny)-1H-isoindole-1,3(2H)-dione, 2-[3,5-

Bis(trifluoromethyl)phenyl]hexahydro-1H-isoindole-1,3(2H)-dione, Hexahydro-2-(2,4,5-trimethylphenyl)-1H-isoindole-1,3(2H)-dione, 2-(4-Fluoro-3-methylphenyl)hexahydro-1H-isoindole-1,3(2H)-dione, Hexahydro-2-(3-methoxy-4-methylphenyl)-1H-isoindole-1,3(2H)-dione, 2-(2,3-Dimethyl-1H-indol-5-yl)hexahydro-1H-isoindole-1,3(2H)-dione, 2-(3-Dibenzofuranyl)hexahydro-1H-isoindole-1,3(2H)-dione, 2-(4-Bromophenyl)hexahydro-1H-isoindole-1,3(2H)-dione, 2-(3-Chloro-4-nitrophenyl)hexahydro-1H-isoindole-1,3(2H)-dione, 2-(1,3-Dihydro-2,2-dioxidobenzo[c]thiophen-5-yl)hexahydro-1H-isoindole-1,3(2H)-dione, Hexahydro-2-(6-nitro-2-naphthalenyl)-1H-isoindole-1,3(2H)-dione, Hexahydro-2-(1H-indazol-5-yl)-1H-isoindole-1,3(2H)-dione, 2-(4-Amino-2,3,5,6-tetrafluorophenyl)hexahydro-1H-isoindole-1,3(2H)-dione, 2-(4-Bromo-3-chlorophenyl)hexahydro-1H-isoindole-1,3(2H)-dione, 2-(1,2-Dihydro-4-methyl-2-oxo-7-quinoliny)hexahydro-1H-isoindole-1,3(2H)-dione, Hexahydro-2-(9-oxo-9H-fluoren-1-yl)-1H-isoindole-1,3(2H)-dione, Hexahydro-2-(9-oxo-9H-fluoren-2-yl)-1H-isoindole-1,3(2H)-dione, 2-(3-Chloro-4-iodophenyl)hexahydro-1H-isoindole-1,3(2H)-dione, 2-(4-Bromo-2,3,5,6-tetrafluorophenyl)hexahydro-1H-isoindole-1,3(2H)-dione, Hexahydro-2-(2,3,5,6-tetramethyl-4-nitrophenyl)-1H-isoindole-1,3(2H)-dione, Hexahydro-2-(2,2,3,3-tetrafluoro-2,3-dihydro-1,4-benzodioxin-6-yl)-1H-isoindole-1,3(2H)-dione, 2-(3-Bromo-4-methylphenyl)hexahydro-1H-isoindole-1,3(2H)-dione, 2-(4-Bromo-2-methylphenyl)hexahydro-1H-isoindole-1,3(2H)-dione, Hexahydro-2-(1-naphthalenyl)-1H-isoindole-1,3(2H)-dione, 2-(3-Chloro-2-methylphenyl)hexahydro-1H-isoindole-1,3(2H)-dione, (3 $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7 $\alpha$ )-Hexahydro-2-(2-naphthalenyl)-4,7-methano-1H-isoindole-1,3(2H)-dione, (3 $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7 $\alpha$ )-2-(2-Amino-4,5-dichlorophenyl)hexahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3 $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7 $\alpha$ )-Hexahydro-2-(4-nitro-1-naphthalenyl)-4,7-methano-1H-isoindole-1,3(2H)-dione, (3 $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7 $\alpha$ )-Hexahydro-2-(8-hydroxy-5-quinoliny)l)-4,7-methano-1H-isoindole-1,3(2H)-dione, (3 $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7 $\alpha$ )-Hexahydro-2-(1-naphthalenyl)-4,7-methano-1H-isoindole-1,3(2H)-dione, (3 $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7 $\alpha$ )-Hexahydro-2-[4-nitro-3-(trifluoromethyl)phenyl]-4,7-methano-1H-isoindole-1,3(2H)-dione, (3 $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7 $\alpha$ )-2-(4-Bromo-1-naphthalenyl)hexahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3 $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7 $\alpha$ )-2-(2-Fluorenyl)hexahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3 $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7 $\alpha$ )-Hexahydro-2-(2-methyl-1-naphthalenyl)-4,7-methano-1H-isoindole-1,3(2H)-dione, (3 $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7 $\alpha$ )-2-(3,5-Dichlorophenyl)hexahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3 $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7 $\alpha$ )-2-(3-Chlorophenyl)hexahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3 $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7 $\alpha$ )-2-(3-Chloro-4-fluorophenyl)hexahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3 $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7 $\alpha$ )-Hexahydro-2-[3-(trifluoromethyl)phenyl]-4,7-methano-1H-isoindole-1,3(2H)-dione, (3 $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7 $\alpha$ )-2-[4-Bromo-3-(trifluoromethyl)phenyl]hexahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3 $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7 $\alpha$ )-2-(4-Bromo-3-methylphenyl)hexahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3 $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7 $\alpha$ )-2-

(1,2-Dihydro-4-methyl-2-oxo-7-quinolinyl)hexahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3 $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7 $\alpha$ )-Hexahydro-2-(4-pyridinyl)-4,7-methano-1H-isoindole-1,3(2H)-dione, (3 $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7 $\alpha$ )-Hexahydro-2-(1-oxido-4-pyridinyl)-4,7-methano-1H-isoindole-1,3(2H)-dione, (3 $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7 $\alpha$ )-Hexahydro-2-(6-quinolinyl)-4,7-methano-1H-isoindole-1,3(2H)-dione, (3 $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7 $\alpha$ )-Hexahydro-2-(1-oxido-6-quinolinyl)-4,7-methano-1H-isoindole-1,3(2H)-dione, (3 $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7 $\alpha$ )-Hexahydro-2-(5-nitro-8-isoquinoliny)-4,7-methano-1H-isoindole-1,3(2H)-dione, trifluoroacetate (1:1), (3 $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7 $\alpha$ )-Hexahydro-2-[4-(methylsulfonyl)phenyl]-4,7-methano-1H-isoindole-1,3(2H)-dione, (3 $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7 $\alpha$ )-Hexahydro-2-[4-(methylthio)phenyl]-4,7-methano-1H-isoindole-1,3(2H)-dione, (3 $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7 $\alpha$ )-Hexahydro-2-[4-(methylsulfinyl)phenyl]-4,7-methano-1H-isoindole-1,3(2H)-dione, (3 $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7 $\alpha$ )-2-(4-Fluoro-1-naphthalenyl)hexahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3 $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7 $\alpha$ )-2-(1,1-Dioxido-2H-naphth[1,8-cd]isothiazol-5-yl)hexahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3 $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7 $\alpha$ )-Hexahydro-2-(6-hydroxy-3-pyridinyl)-4,7-methano-1H-isoindole-1,3(2H)-dione, (3 $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7 $\alpha$ )-2-(1,2-Benzisothiazol-3-yl)hexahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3 $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7 $\alpha$ )-2-(3-Benzofuranyl)hexahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3 $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7 $\alpha$ )-Hexahydro-2-[4-(4-isothiazolyl)phenyl]-4,7-methano-1H-isoindole-1,3(2H)-dione (3 $\alpha$ ,4 $\alpha$ ,4 $\beta$ ,5 $\alpha$ ,6 $\alpha$ ,6 $\alpha$ )-4,4 $\alpha$ ,5,5 $\alpha$ ,6,6 $\alpha$ -Hexahydro-2-[3-(trifluoromethyl)phenyl]-4,6-methanocycloprop[f]isoindole-1,3(2H,3 $\alpha$ H)-dione, (3 $\alpha$ ,4 $\alpha$ ,4 $\beta$ ,5 $\alpha$ ,6 $\alpha$ ,6 $\alpha$ )-4,4 $\alpha$ ,5,5 $\alpha$ ,6,6 $\alpha$ -Hexahydro-2-[4-nitro-3-(trifluoromethyl)phenyl]-4,6-methanocycloprop[f]isoindole-1,3(2H,3 $\alpha$ H)-dione, (3 $\alpha$ ,4 $\alpha$ ,4 $\beta$ ,5 $\alpha$ ,6 $\alpha$ ,6 $\alpha$ )-4,4 $\alpha$ ,5,5 $\alpha$ ,6,6 $\alpha$ -Hexahydro-2-(4-nitro-1-naphthalenyl)-4,6-methanocycloprop[f]isoindole-1,3(2H,3 $\alpha$ H)-dione, (3 $\alpha$ ,4 $\alpha$ ,4 $\beta$ ,5 $\alpha$ ,6 $\alpha$ ,6 $\alpha$ )-2-(1,2-Dihydro-4-methyl-2-oxo-7-quinolinyl)-4,4 $\alpha$ ,5,5 $\alpha$ ,6,6 $\alpha$ -hexahydro-4,6-methanocycloprop[f]isoindole-1,3(2H,3 $\alpha$ H)-dione, (3 $\alpha$ ,4 $\beta$ ,4 $\alpha$ ,5 $\alpha$ ,6 $\beta$ ,6 $\alpha$ )-4,4 $\alpha$ ,5,5 $\alpha$ ,6,6 $\alpha$ -Hexahydro-2-[3-(trifluoromethyl)phenyl]-4,6-methanocycloprop[f]isoindole-1,3(2H,3 $\alpha$ H)-dione, (3 $\alpha$ ,4 $\beta$ ,4 $\alpha$ ,5 $\alpha$ ,6 $\beta$ ,6 $\alpha$ )-2-(3,5-Dichlorophenyl)-4,4 $\alpha$ ,5,5 $\alpha$ ,6,6 $\alpha$ -hexahydro-4,6-methanocycloprop[f]isoindole-1,3(2H,3 $\alpha$ H)-dione, (3 $\alpha$ ,4 $\beta$ ,4 $\alpha$ ,5 $\alpha$ ,6 $\beta$ ,6 $\alpha$ )-4,4 $\alpha$ ,5,5 $\alpha$ ,6,6 $\alpha$ -Hexahydro-2-[4-nitro-3-(trifluoromethyl)phenyl]-4,6-methanocycloprop[f]isoindole-1,3(2H,3 $\alpha$ H)-dione, (3 $\alpha$ ,4 $\beta$ ,4 $\alpha$ ,5 $\alpha$ ,6 $\beta$ ,6 $\alpha$ )-2-(1,2-Dihydro-4-methyl-2-oxo-7-quinolinyl)-4,4 $\alpha$ ,5,5 $\alpha$ ,6,6 $\alpha$ -hexahydro-4,6-methanocycloprop[f]isoindole-1,3(2H,3 $\alpha$ H)-dione, (3 $\alpha$ ,4 $\beta$ ,7 $\beta$ ,7 $\alpha$ )-3 $\alpha$ ,4,7,7 $\alpha$ -tetrahydro-2-(2-naphthalenyl)-4,7-methano-1H-isoindole-1,3(2H)-dione, (3 $\alpha$ ,4 $\beta$ ,7 $\beta$ ,7 $\alpha$ )-Hexahydro-2-(1-naphthalenyl)-4,7-methano-1H-isoindole-1,3(2H)-dione, (3 $\alpha$ ,4 $\beta$ ,7 $\beta$ ,7 $\alpha$ )-2-(3,5-Dichlorophenyl)-3 $\alpha$ ,4,7,7 $\alpha$ -tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3 $\alpha$ ,4 $\beta$ ,7 $\beta$ ,7 $\alpha$ )-3 $\alpha$ ,4,7,7 $\alpha$ -Tetrahydro-2-[3-(trifluoromethyl)phenyl]-4,7-methano-1H-isoindole-1,3(2H)-dione,

(3 $\alpha$ ,4 $\beta$ ,7 $\beta$ ,7 $\alpha$ )-3a,4,7,7a-Tetrahydro-2-(4-methyl-2-oxo-2H-1-benzopyran-7-yl)-4,7-methano-1H-isoindole-1,3(2H)-dione, (3 $\alpha$ ,4 $\beta$ ,7 $\beta$ ,7 $\alpha$ )-3a,4,7,7a-Tetrahydro-2-[4-nitro-3-(trifluoromethyl)phenyl]-4,7-methano-1H-isoindole-1,3(2H)-dione, (3 $\alpha$ ,4 $\beta$ ,7 $\beta$ ,7 $\alpha$ )-3a,4,7,7a-Tetrahydro-2-(4-nitro-1-naphthalenyl)-4,7-methano-1H-isoindole-1,3(2H)-dione, (3 $\alpha$ ,4 $\beta$ ,7 $\beta$ ,7 $\alpha$ )-Hexahydro-2-(2-naphthalenyl)-4,7-methano-1H-isoindole-1,3(2H)-dione, (3 $\alpha$ ,4 $\beta$ ,7 $\beta$ ,7 $\alpha$ )-Hexahydro-2-[3-(trifluoromethyl)phenyl]-4,7-methano-1H-isoindole-1,3(2H)-dione, (3 $\alpha$ ,4 $\beta$ ,7 $\beta$ ,7 $\alpha$ )-2-(3,5-Dichlorophenyl)hexahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3 $\alpha$ ,4 $\beta$ ,7 $\beta$ ,7 $\alpha$ )-Hexahydro-2-[4-nitro-3-(trifluoromethyl)phenyl]-4,7-methano-1H-isoindole-1,3(2H)-dione, (3 $\alpha$ ,4 $\beta$ ,7 $\beta$ ,7 $\alpha$ )-Hexahydro-2-(4-nitro-1-naphthalenyl)-4,7-methano-1H-isoindole-1,3(2H)-dione, (3 $\alpha$ ,4 $\beta$ ,7 $\beta$ ,7 $\alpha$ )-2-(1,2-Dihydro-4-methyl-2-oxo-7-quinoliny)hexahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3 $\alpha$ ,4 $\alpha$ ,5 $\alpha$ ,7 $\alpha$ ,7 $\alpha$ )-Hexahydro-2-(2-naphthalenyl)-5-phenyl-4,7-methano-1H-isoindole-1,3(2H)-dione, (3 $\alpha$ ,4 $\alpha$ ,5 $\alpha$ ,7 $\alpha$ ,7 $\alpha$ )-Hexahydro-5-phenyl-2-[3-(trifluoromethyl)phenyl]-4,7-methano-1H-isoindole-1,3(2H)-dione, (3 $\alpha$ ,4 $\alpha$ ,5 $\alpha$ ,7 $\alpha$ ,7 $\alpha$ )-Hexahydro-2-(1-naphthalenyl)-5-phenyl-4,7-methano-1H-isoindole-1,3(2H)-dione, (3 $\alpha$ ,4 $\alpha$ ,5 $\alpha$ ,7 $\alpha$ ,7 $\alpha$ )-2-(3,4-Dichlorophenyl)hexahydro-5-phenyl-4,7-methano-1H-isoindole-1,3(2H)-dione, (3 $\alpha$ ,4 $\alpha$ ,5 $\alpha$ ,7 $\alpha$ ,7 $\alpha$ )-2-(3,5-Dichlorophenyl)hexahydro-5-phenyl-4,7-methano-1H-isoindole-1,3(2H)-dione, (3 $\alpha$ ,4 $\alpha$ ,5 $\alpha$ ,7 $\alpha$ ,7 $\alpha$ )-2-(1,2-Dihydro-4-methyl-2-oxo-7-quinoliny)hexahydro-5-phenyl-4,7-methano-1H-isoindole-1,3(2H)-dione, (3 $\alpha$ ,4 $\alpha$ ,5 $\beta$ ,7 $\alpha$ ,7 $\alpha$ )-2-(1,2-Dihydro-4-methyl-2-oxo-7-quinoliny)hexahydro-5-phenyl-4,7-methano-1H-isoindole-1,3(2H)-dione, trifluoroacetate (1:1), (3 $\alpha$ ,4 $\alpha$ ,5 $\beta$ ,7 $\alpha$ ,7 $\alpha$ )-Hexahydro-5-phenyl-2-[3-(trifluoromethyl)phenyl]-4,7-methano-1H-isoindole-1,3(2H)-dione, (3 $\alpha$ ,4 $\alpha$ ,5 $\alpha$ ,7 $\alpha$ ,7 $\alpha$ )-Hexahydro-2-[4-nitro-3-(trifluoromethyl)phenyl]-5-phenyl-4,7-methano-1H-isoindole-1,3(2H)-dione, (3 $\alpha$ ,4 $\alpha$ ,5 $\alpha$ ,7 $\alpha$ ,7 $\alpha$ )-Hexahydro-2-(4-nitro-1-naphthalenyl)-5-phenyl-4,7-methano-1H-isoindole-1,3(2H)-dione, (3 $\alpha$ ,4 $\alpha$ ,5 $\beta$ ,7 $\alpha$ ,7 $\alpha$ )-Hexahydro-2-(4-nitro-1-naphthalenyl)-5-phenyl-4,7-methano-1H-isoindole-1,3(2H)-dione, (3 $\alpha$ ,4 $\alpha$ ,5 $\beta$ ,7 $\alpha$ ,7 $\alpha$ )-Hexahydro-2-[4-nitro-3-(trifluoromethyl)phenyl]-5-phenyl-4,7-methano-1H-isoindole-1,3(2H)-dione, (3 $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7 $\alpha$ )-4,5,6,7,8,8-Hexachloro-3a,4,7,7a-tetrahydro-2-(3-nitrophenyl)-4,7-methano-1H-isoindole-1,3(2H)-dione, (3 $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7 $\alpha$ )-4,5,6,7,8,8-Hexachloro-2-[4-(methylthio)phenyl]-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3 $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7 $\alpha$ )-4,5,6,7,8,8-Hexachloro-2-(5-chloro-2-methoxyphenyl)-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3 $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7 $\alpha$ )-4,5,6,7,8,8-Hexachloro-3a,4,7,7a-tetrahydro-2-(3-methoxyphenyl)-4,7-methano-1H-isoindole-1,3(2H)-dione, (3 $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7 $\alpha$ )-4,5,6,7,8,8-Hexachloro-3a,4,7,7a-tetrahydro-2-(1-naphthalenyl)-4,7-methano-1H-isoindole-1,3(2H)-dione, (3 $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7 $\alpha$ )-4,5,6,7,8,8-Hexachloro-2-(2,3-dimethylphenyl)-3a,4,7,7a-tetrahydro-4,7-

methano-1H-isoindole-1,3(2H)-dione, (3 $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7 $\alpha$ )-4,5,6,7,8,8-Hexachloro-2-(3,4-dichlorophenyl)-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3 $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7 $\alpha$ )-2-(4-Bromophenyl)-4,5,6,7,8,8-hexachloro-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3 $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7 $\alpha$ )-4,5,6,7,8,8-Hexachloro-3a,4,7,7a-tetrahydro-2-[2-methyl-5-(1-methylethyl)phenyl]-4,7-methano-1H-isoindole-1,3(2H)-dione, (3 $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7 $\alpha$ )-4,5,6,7,8,8-Hexachloro-2-(3-chloro-4-methylphenyl)-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3 $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7 $\alpha$ )-4,5,6,7,8,8-Hexachloro-2-(2,3-dichlorophenyl)-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3 $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7 $\alpha$ )-4,5,6,7,8,8-Hexachloro-3a,4,7,7a-tetrahydro-2-[3-(methylthio)phenyl]-4,7-methano-1H-isoindole-1,3(2H)-dione, (3 $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7 $\alpha$ )-4,5,6,7,8,8-Hexachloro-2-(4-fluoro-3-nitrophenyl)-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, 3a,4,7,7a-Tetrahydro-2-(6-methyl-2-pyridinyl)-4,7-methano-1H-isoindole-1,3(2H)-dione, 3a,4,7,7a-Tetrahydro-2-(4-pyridinyl)-4,7-methano-1H-isoindole-1,3(2H)-dione, 2-(4-Ethoxyphenyl)-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, 3a,4,7,7a-Tetrahydro-2-(3-pyridinyl)-4,7-methano-1H-isoindole-1,3(2H)-dione, 3a,4,7,7a-Tetrahydro-2-(2-pyridinyl)-4,7-methano-1H-isoindole-1,3(2H)-dione, 3a,4,7,7a-Tetrahydro-2-(3-methyl-2-pyridinyl)-4,7-methano-1H-isoindole-1,3(2H)-dione, 3a,4,7,7a-Tetrahydro-2-[4-(2-hydroxyethyl)phenyl]-4,7-methano-1H-isoindole-1,3(2H)-dione, 3a,4,7,7a-Tetrahydro-2-(2-mercaptophenyl)-4,7-methano-1H-isoindole-1,3(2H)-dione, 3a,4,7,7a-Tetrahydro-2-(2-hydroxyphenyl)-4,7-methano-1H-isoindole-1,3(2H)-dione, 3a,4,7,7a-Tetrahydro-2-[4-(phenylmethoxy)phenyl]-4,7-methano-1H-isoindole-1,3(2H)-dione, 3a,4,7,7a-Tetrahydro-2-[2-(phenylmethoxy)phenyl]-4,7-methano-1H-isoindole-1,3(2H)-dione, 3a,4,7,7a-Tetrahydro-2-[3-(phenylmethoxy)phenyl]-4,7-methano-1H-isoindole-1,3(2H)-dione, 3a,4,7,7a-Tetrahydro-2-[4-[(4-nitrophenyl)methoxy]phenyl]-4,7-methano-1H-isoindole-1,3(2H)-dione, 3a,4,7,7a-Tetrahydro-2-[2-[(4-nitrophenyl)methoxy]phenyl]-4,7-methano-1H-isoindole-1,3(2H)-dione, 3a,4,7,7a-Tetrahydro-2-[3-[(4-nitrophenyl)methoxy]phenyl]-4,7-methano-1H-isoindole-1,3(2H)-dione, 3a,4,7,7a-Tetrahydro-2-[4-[(4-methylphenyl)methoxy]phenyl]-4,7-methano-1H-isoindole-1,3(2H)-dione, 3a,4,7,7a-Tetrahydro-2-[3-[(4-methylphenyl)methoxy]phenyl]-4,7-methano-1H-isoindole-1,3(2H)-dione, 3a,4,7,7a-Tetrahydro-2-[2-[(4-methylphenyl)methoxy]phenyl]-4,7-methano-1H-isoindole-1,3(2H)-dione, 2-[4-[(4-Butylphenyl)methoxy]phenyl]-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, 2-[2-[(4-Butylphenyl)methoxy]phenyl]-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, 2-[3-[(4-Butylphenyl)methoxy]phenyl]-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, 2-[4-[(2-Chlorophenyl)methoxy]phenyl]-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, 2-[4-[(4-Chlorophenyl)methoxy]phenyl]-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, 2-[2-[(4-Chlorophenyl)methoxy]phenyl]-3a,4,7,7a-tetrahydro-4,7-methano-1H-

isoindole-1,3(2H)-dione, 2-[2-[(2-Chlorophenyl)methoxy]phenyl]-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, 2-[3-[(2-Chlorophenyl)methoxy]phenyl]-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, 2-[3-[(4-Chlorophenyl)methoxy]phenyl]-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, 3a,4,7,7a-Tetrahydro-2-phenyl-4,7-methano-1H-isoindole-1,3(2H)-dione, 2-[(Benzoyloxy)phenyl]-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, 2-[3-(3,4-Dimethylbenzoyl)phenyl]-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, 2-(3,4-Dimethylphenyl)-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, 2-(5-Chloro-2-methoxyphenyl)-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, 2-(2-Acetylphenyl)-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, 3a,4,7,7a-Tetrahydro-2-[4-(5-oxazolyl)phenyl]-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7a $\alpha$ )-2-[4-Bromo-3-(trifluoromethyl)phenyl]-3a,4,7,7a-tetrahydro-5-methyl-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7a $\alpha$ )-2'-[4-Bromo-3-(trifluoromethyl)phenyl]-3'a,4',7',7'a-tetrahydrospiro[cyclopropane-1,8'-[4,7]methano[1H]isoindole]-1',3'(2'H)-dione, (3a $\alpha$ ,4 $\beta$ ,4a $\alpha$  6a $\alpha$ ,7 $\beta$ ,7a $\alpha$ )-2-(4-Bromo-1-naphthalenyl)-3a,4,4a,6a,7,7a-hexahydro-4,7-etheno-1H-cyclobut[f]isoindole-1,3(2H)-dione, (3a $\alpha$ ,4 $\beta$ ,4a $\alpha$  6a $\alpha$ ,7 $\beta$ ,7a $\alpha$ )-2-(4-Bromo-3-methylphenyl)-3a,4,4a,6a,7,7a-hexahydro-4,7-etheno-1H-cyclobut[f]isoindole-1,3(2H)-dione, (3a $\alpha$ ,4 $\beta$ ,4a $\alpha$  6a $\alpha$ ,7 $\beta$ ,7a $\alpha$ )-2-(1,2-Dihydro-4-methyl-2-oxo-7-quinoliny)-3a,4,4a,6a,7,7a-hexahydro-4,7-etheno-1H-cyclobut[f]isoindole-1,3(2H)-dione, (3a $\alpha$ ,4 $\beta$ ,7 $\beta$ ,7a $\alpha$ )-2-[3,5-Bis(trifluoromethyl)phenyl]hexahydro-8-(1-methylethylidene)-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a $\alpha$ ,4 $\beta$ ,7 $\beta$ ,7a $\alpha$ )-2-(4-Bromo-3-methylphenyl)hexahydro-8-(1-methylethylidene)-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a $\alpha$ ,4 $\beta$ ,7 $\beta$ ,7a $\alpha$ )-Hexahydro-8-(1-methylethylidene)-2-(4-nitro-1-naphthalenyl)-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a $\alpha$ ,4 $\beta$ ,7 $\beta$ ,7a $\alpha$ )-2-(4-Bromo-1-naphthalenyl)hexahydro-8-(1-methylethylidene)-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a $\alpha$ ,4 $\beta$ ,7 $\beta$ ,7a $\alpha$ )-Hexahydro-8,8-dihydroxy-2-(4-nitro-1-naphthalenyl)-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a $\alpha$ ,4 $\beta$ ,7 $\beta$ ,7a $\alpha$ )-2-[3,5-Bis(trifluoromethyl)phenyl]hexahydro-8,8-dihydroxy-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a $\alpha$ ,4 $\beta$ ,7 $\beta$ ,7a $\alpha$ )-2-(4-Bromo-3-methylphenyl)hexahydro-8,8-dihydroxy-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7a $\alpha$ )-2-(4-Bromo-3-methylphenyl)hexahydro-8,8-dihydroxy-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7a $\alpha$ )-2-(4-Bromo-3-methylphenyl)hexahydro-8-(1-methylethylidene)-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7a $\alpha$ )-3a,4,7,7a-Tetrahydro-5-phenyl-2-[3-(trifluoromethyl)phenyl]-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7a $\alpha$ )-3a,4,7,7a-Tetrahydro-2-[4-nitro-3-(trifluoromethyl)phenyl]-5-phenyl-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7a $\alpha$ )-2-(3,5-Dichlorophenyl)-3a,4,7,7a-tetrahydro-5-phenyl-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7a $\alpha$ )-Tetrahydro-2-[[3-(trifluoromethyl)phenyl]amino]-4,7-

methano-1H-isoindole-1,3(2H)-dione, (3a $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7a $\alpha$ )-2-[(3-Chlorophenyl)amino]-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a $\alpha$ ,4 $\alpha$ ,5 $\alpha$ ,7 $\alpha$ ,7a $\alpha$ )-Hexahydro-5-mercapto-2-[3-(trifluoromethyl)phenyl]-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7a $\alpha$ )-3a,4,7,7a-Tetrahydro-2-(4-nitro-1-naphthalenyl)-5-phenyl-4,7-methano-1H-isoindole-1,3(2H)-dione, (3a' $\alpha$ ,4' $\alpha$ ,7' $\alpha$ ,7a' $\alpha$ )-2'-(1,2-Dihydro-4-methyl-2-oxo-7-quinoliny)-3a',4',7',7a'-tetrahydrospiro[cyclopropane-1,8'-[4,7]methano[1H]isoindole]-1',3'(2'H)-dione, (3a $\alpha$ ,4 $\alpha$ ,5 $\alpha$ ,7 $\alpha$ ,7a $\alpha$ )-Hexahydro-5-(4-nitrophenyl)-2-[3-(trifluoromethyl)phenyl]-4,7-methano-1H-isoindole-1,3(2H)-dione, Hexahydro-2-(2-mercaptophenyl)-4,7-methano-1H-isoindole-1,3(2H)-dione, 4-(Octahydro-1,3-dioxo-4,7-methano-2H-isoindol-2-yl)benzoic acid, ethyl ester, 2-[4-(Diethylamino)phenyl]hexahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, 3a,4,9,9a-Tetrahydro-2-phenyl-4,9[1',2']-benzeno-1H-benz[f]isoindole-1,3(2H)-dione, 5-(Acetyloxy)hexahydro-2-phenyl-4,7-methano-1H-isoindole-1,3(2H)-dione, 5-(Acetyloxy)-2-(4-chlorophenyl)hexahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, 5-(Acetyloxy)hexahydro-2-(2-nitrophenyl)-4,7-methano-1H-isoindole-1,3(2H)-dione, 5-(Acetyloxy)-2-(3-chlorophenyl)hexahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, Hexahydro-5-hydroxy-2-(4-methoxyphenyl)-4,7-methano-1H-isoindole-1,3(2H)-dione, 2-(4-Ethoxyphenyl)hexahydro-5-hydroxy-4,7-methano-1H-isoindole-1,3(2H)-dione, Hexahydro-5-hydroxy-2-(4-nitrophenyl)-4,7-methano-1H-isoindole-1,3(2H)-dione, 2-(4-Chlorophenyl)hexahydro-5-hydroxy-4,7-methano-1H-isoindole-1,3(2H)-dione, 2-(2,4-Dichlorophenyl)hexahydro-5-hydroxy-4,7-methano-1H-isoindole-1,3(2H)-dione, Hexahydro-5-hydroxy-2-[3-(trifluoromethyl)phenyl]-4,7-methano-1H-isoindole-1,3(2H)-dione, 5-(Acetyloxy)hexahydro-2-[3-(trifluoromethyl)phenyl]-4,7-methano-1H-isoindole-1,3(2H)-dione, 2-Hydroxy-5-(octahydro-1,3-dioxo-5-phenyl-1H-isoindol-2-yl)benzoic acid, Hexahydro-2-(4-hydroxyphenyl)-5-phenyl-1H-isoindole-1,3(2H)-dione, 2-(4-Ethoxyphenyl)hexahydro-5-phenyl-1H-isoindole-1,3(2H)-dione, Hexahydro-5-phenyl-2-[3-(trifluoromethyl)phenyl]-1H-isoindole-1,3(2H)-dione, 2-(3-Dibenzofuranyl)-3a,4,7,7a-tetrahydro-4,7-diphenyl-1H-isoindole-1,3(2H)-dione, 3a,4,7,7a-Tetrahydro-2-(4-methoxyphenyl)-5-methyl-1H-isoindole-1,3(2H)-dione, 5,6-Dibromo-2-(4-ethoxyphenyl)hexahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, 3a,4,7,7a-Tetrahydro-5,6-dimethyl-2-[4-(trifluoromethyl)phenyl]-1H-isoindole-1,3(2H)-dione, 3a,4,7,7a-Tetrahydro-5,6-dimethyl-2-(2-propoxyphenyl)-1H-isoindole-1,3(2H)-dione, 2-(3-Chloro-2-methylphenyl)-3a,4,7,7a-tetrahydro-8-(1-methylethylidene)-4,7-methano-1H-isoindole-1,3(2H)-dione, 3'a,4',7',7'a-Tetrahydro-2'-(2,4,6-trimethylphenyl)spiro[cyclopropane-1,8'-[4,7]methano[1H]isoindole]-1',3'(2'H)-dione, 3a,4,7,7a-Tetrahydro-4-methyl-2-(3-methylphenyl)-1H-isoindole-1,3(2H)-dione, Hexahydro-2-[4-(2-methyl-5-phenyl-1,3,4-thiadiazol-2-yl)phenyl]-1H-isoindole-1,3(2H)-dione, 3a,4,7,7a-Tetrahydro-5-methyl-2-[4-(trifluoromethyl)phenyl]-4,7-methano-1H-isoindole-1,3(2H)-dione, 3a,4,7,7a-Tetrahydro-5-methyl-2-[4-(trifluoromethoxy)phenyl]-4,7-



methano-1H-isoindole-1,3(2H)-dione, 2-(3-Chloro-4-fluorophenyl)hexahydro-5-methyl-1H-isoindole-1,3(2H)-dione, 3a,4,7,7a-Tetrahydro-5-methyl-2-[3-(trifluoromethyl)phenyl]-1H-isoindole-1,3(2H)-dione, 3a,4,7,7a-Tetrahydro-2-(4-hydroxyphenyl)-1H-isoindole-1,3(2H)-dione, 2-(4-Chlorophenyl)-3a,4,7,7a-tetrahydro-1H-isoindole-1,3(2H)-dione, 3a,4,7,7a-Tetrahydro-2-phenyl-1H-isoindole-1,3(2H)-dione, 3a,4,7,7a-Tetrahydro-2-(2-mercaptophenyl)-1H-isoindole-1,3(2H)-dione, 3a,4,7,7a-Tetrahydro-2-[3-(methylthio)phenyl]-1H-isoindole-1,3(2H)-dione, 2-(4-Ethoxyphenyl)-3a,4,7,7a-tetrahydro-1H-isoindole-1,3(2H)-dione, 4,4a,5,5a,6,6a-Hexahydro-2-[3-(trifluoromethyl)phenyl]-4,6-ethenocycloprop[f]isoindole-1,3(2H,3aH)-dione, 3'a,4',7',7'a-Tetrahydro-2'-(4-nitrophenyl)spiro[cyclopropane-1,8'-[4,7]methano[1H]isoindole]-1',3'(2'H)-dione, Hexahydro-2-(4-hydroxyphenyl)-5-phenyl-4,7-methano-1H-isoindole-1,3(2H)-dione, 2-(4-Ethoxyphenyl)hexahydro-5-phenyl-4,7-methano-1H-isoindole-1,3(2H)-dione, Hexahydro-5-phenyl-2-[3-(trifluoromethyl)phenyl]-4,7-methano-1H-isoindole-1,3(2H)-dione and (3a $\alpha$ ,4 $\alpha$ ,7 $\alpha$ , 7a $\alpha$ )-2-[4-nitro-3-(trifluoromethyl)phenyl]-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione, or a pharmaceutically acceptable salt thereof.